

Box	on Lol	Description (Data groups & Attributes)	Iterations	Length	Print	Remarks
		E_DEC_DAT	1 x		Ø	
		TRANSIT OPERATION	1 x		Ø	
		TRADER Consignor (Box 2)	1 x		Ø	
		TRADER Consignee (Box 8)	1 x		Ø	
		GOODS ITEM	99999 x		Ø	
		TRADER Consignor (ex Box 2)	1 x		Ø	
		TRADER Consignee (ex Box 8)	1 x		Ø	
		CONTAINERS (Box 31)	99 x		Ø	
		PACKAGES (Box 31)	99 x		Ø	
		SGI-CODES (Box 31)	9 x		Ø	
		PREVIOUS ADMINISTRATIVE REFERENCES (Box 40)	9 x		Ø	
		PRODUCED DOCUMENTS/CERTIFICATES (Box 44)	99 x		Ø	
		SPECIAL MENTIONS (Box 44)	99 x		Ø	
		CUSTOMS OFFICE of Departure (Box C)	1 x		Ø	
		TRADER Principal (Box 50)	1 x		Ø	
		REPRESENTATIVE (Box 50)	1 x		Ø	
		CUSTOMS OFFICE of Transit (Box 51)	9 x		Ø	
		CUSTOMS OFFICE of Destination (Box 53)	1 x		Ø	
		TRADER Authorised Consignee (Box 53)	1 x		Ø	
		CONTROL RESULT (Box D)	1 x		Ø	
		SEALS INFO (Box D)	1 x		Ø	
		SEALS ID (Box D)	99 x		Ø	
		GUARANTEE	9 x		Ø	
		GUARANTEE REFERENCE	99 x		Ø	
		VALIDITY LIMITATION EC	1 x		Ø	
		VALIDITY LIMITATION NON EC	99 x		Ø	
		ADDED in IE29				
		TRANSIT OPERATION	1 x		Ø	
		OFFICE TO RETURN COPIES	1 x		Ø	
		CONTROL RESULT (Box D)	1 x		Ø	

00		Dialog language indicator at Departure		a2	Ø	
00		NCTS Accompanying Document language code		a2	Ø	
00		NCTS Return Copy		n1	Ø	When Flag = "1" = PRINT also Return Copy ("B") (and, if any, the related copy of the Lol)
00		LRN		an..22	Ø	
00		MRN		an18	as such	including BAR CODE (if so decided)
00	x	MRN		an18	as such	including BAR CODE (if so decided)
00		Reference Number [Office to return Copy]		an8	Ø	
00		Customs Office Name		an..35	as such	
00		Street and number		an..35	as such	Printed on
00		Country		a2	as such	AccDoc "A"
00		Postcode		an..9	as such	AND
00		City		an..35	as such	Return Copy "B" (if "B" is also printed)
00		NAD_LNG		a2	Ø	

01		Declaration type (box 1)	an..5	as such	
01	x	Declaration type (ex box 1)	an..5	as such	When NOT used = print "---"
02		TIN (box 2)	an..17	as such	When "TIN" is NOT used = NOT printed
02		Name (box 2)	an..35	as such	
02		Street and number (box 2)	an..35	as such	
02		Country (box 2)	a2	as such	
02		Postcode (box 2)	an..9	as such	
02		City (box 2)	an..35	as such	
02		NAD_LNG	a2	∅	
02	x	TIN (ex box 2)	an..17	as such	When ex box 2s are used = print "VARIOUS" When NOT used = print "---"
02	x	Name (ex box 2)	an..35	as such	
02	x	Street and number (ex box 2)	an..35	as such	
02	x	Country (ex box 2)	a2	as such	
02	x	Postcode (ex box 2)	an..9	as such	
02	x	City (ex box 2)	an..35	as such	
02	x	NAD_LNG	a2	∅	
03		Form [DocAcc]	n..5		If Box 4 at TRANSIT OPERATION's level is NOT used = PRINT required (e.g. AccDoc = 1/1 or 1/2 or 1/3, etc.) If box 4 at TRANSIT OPERATION's level is used = print "--- / ---"
03		of [Total forms (DocAcc+Lol)]	n..5		
03	x	Form [Lol]	n..5		If Box 4 at TRANSIT OPERATION's level is NOT used AND more than 1 GOODS ITEM = PRINT required (e.g. 1st Lol = 2/3, 2nd Lol = 3/3) When box 4 at TRANSIT OPERATION's level is used = NOT APPLICABLE
03	x	of [Total forms (DocAcc+Lol)]	n..5		
04		Number of loading lists (box 4)	n..5	as such	When NOT used = print "---"
05		Total number of items (box 5)	n..5	as such	
06		Total number of packages (box 6)	n..7	as such	

08		TIN (box 8)	an..17	as such	When "TIN" is NOT used = NOT printed
08		Name (box 8)	an..35	as such	When ex box 8s are used = print "VARIOUS" When NOT used = print "---"
08		Street and number (box 8)	an..35	as such	
08		Country (box 8)	a2	as such	
08		Postcode (box 8)	an..9	as such	
08		City (box 8)	an..35	as such	
08		NAD_LNG	a2	Ø	
08	x	TIN (ex box 8)	an..17	as such	
08	x	Name (ex box 8)	an..35	as such	When NOT used = print "---"
08	x	Street and number (ex box 8)	an..35	as such	
08	x	Country (ex box 8)	a2	as such	
08	x	Postcode (ex box 8)	an..9	as such	
08	x	City (ex box 8)	an..35	as such	
08	x	NAD_LNG	a2	Ø	
15		Country of dispatch (box 15a)	a2	as such	
15	x	Country of dispatch (ex box 15a)	a2	as such	When NOT used = print "---"
17		Destination country (box 17a)	a2	as such	When NOT used = print "---"
17	x	Destination country (ex box 17a)	a2	as such	When NOT used = print "---"
18		Identity At Departure (box 18)	an..27	as such	When NOT used = print "---"
18		Identity_At_Departure_LNG	a2	Ø	
18		Nationality at Departure (box 18)	a2	as such	When NOT used = print "---"
19		Container (box 19)	n1	Ø	
21		Nationality crossing border (box 21)	a2	Ø	
21		Identity Crossing Border (box 21)	an..31	Ø	
21		Identity_Crossing_Border_LNG	a2	Ø	
21		Type of Transport Crossing Border (box 21)	n..2	Ø	
25		Transport mode at border (box 25)	n..2	Ø	
26		Inland transport mode (box 26)	n..2	Ø	
27		Loading place (box 27)	an..17	Ø	
30		Agreed location code(box 30)	an..17	Ø	
30		Agreed location of goods (box 30)	an..35	Ø	
30		Agreed location of goods_LNG	a2	Ø	
30		Authorised location of goods (box 30)	an..17	Ø	
30		Customs sub place (box 30)	an..17	Ø	

31		Marks & numbers of Packages (Box 31)	an..42	as such	When NOT used = NOT printed
31		Marks_&_numbers_of_Packages_LNG	a2	∅	
31		Container numbers (Box 31)	an..11	as such	When NOT used = NOT printed
31		Number of Packages (Box 31)	n..5	as such	When NOT used = NOT printed
31		Kind of packages (Box 31)	a2	DE	
31		Number of Pieces (Box 31)	n..5	as such + Text	When used = print also "pieces"
31		Textual Description (box 31)	an..140	as such	When Lol are used: = print "See List of Items" When PLL are used (box 4): = print mention according r95, 3rd bullet (to be completed, where necessary)
31		Textual_Description_LNG	a2	∅	
31		Sensitive goods code (Box 31)	n..2	Text + as such	When used = print also "Sensitive Goods code:"
31		Sensitive Quantity (Box 31)	n..11,3	Text + as such	When used = print also "Sensitive quantity:"
31	x	Marks & numbers of Packages (Box 31)	an..42	as such	When NOT used = NOT printed
31	x	Marks_&_numbers_of_Packages_LNG	a2	∅	
31	x	Number of Packages (Box 31)	n..5	as such	When NOT used = NOT printed
31	x	Kind of packages (Box 31)	a2	DE	
31	x	Number of Pieces (Box 31)	n..5	as such	When used = print in box 31.2
31	x	Container numbers (Box 31)	an..11	as such	When NOT used = NOT printed
31	x	Textual Description (box 31)	an..140	as such	
31	x	Textual_Description_LNG	a2	∅	
31	x	Sensitive goods code (Box 31)	n..2	as such	When NOT used = NOT printed
31	x	Sensitive Quantity (Box 31)	n..11,3	as such	When NOT used = NOT printed

32		Item Number (Box 32)	n..5	as such	When Lol / PLL are used: print "---"
32	x	Item Number (Box 32)	n..5	as such	When PLL used: NOT APPLICABLE
33		Commodity code (Box 33)	n..8	as such	Print only the first 6 digits (HS6) When Lol is used OR Commodity code is NOT used = NOT printed
33	x	Commodity code (Box 33)	n..8	as such	Print only the first 6 digits (HS6) If Commodity code is NOT used = NOT printed
35		Total gross mass (box 35)	n..11,3	as such	To be printed [on AccDoc, box 35] only when PLL or Lol are used
35		Gross Mass (box 35)	n..11,3	as such	When NOT used = NOT printed
35	x	Gross Mass (box 35)	n..11,3	as such	When NOT used = NOT printed
38		Net Mass (box 38)	n..11,3	as such	When NOT used = NOT printed
38	x	Net Mass (box 38)	n..11,3	as such	When NOT used = NOT printed
40		Previous Document Type (Box 40)	an..6	as such	When NOT used = NOT printed
40		Previous Document Reference (Box 40)	an..20	as such	When NOT used = NOT printed
40		Previous_Document_Reference_LNG	a2	∅	
40		Complement of information(Box 40)	an..26	∅	
40		Complement_of_information_LNG	a2	∅	
40	x	Previous Document Type (Box 40)	an..6	as such	When NOT used = NOT printed
40	x	Previous Document Reference (Box 40)	an..20	as such	When NOT used = NOT printed
40	x	Previous_Document_Reference_LNG	a2	∅	
40	x	Complement of information(Box 40)	an..26	∅	
40	x	Complement_of_information_LNG	a2	∅	

44		Document Type (Box 44)	an..3	DE	According to Rule 79 (App. A3-a2) When NOT used = NOT printed
44		Document Reference (Box 44)	an..20	as such	
44		Document_Reference_LNG	a2	Ø	
44		Complement of information(Box 44)	an..26	as such	When NOT used = NOT printed
44		Complement_of_information_LNG	a2	Ø	
44		Additional information id (Box 44)	an..3	DE	i.e. "Export from...subject to duty" OR "Export from...subject to restrictions" OR "EXPORT" When NOT used = NOT printed
44		Export from EC (Box 44)	a1	Text	When Flag = "Y" = print "EU", inserted in (...) one of the first two additional informations mentioned above
44		Export from country (Box 44)	a2	as such	When used, one or more Country codes to be inserted in (...) one of the first two additional informations mentioned above
44		Text (Box 44)	an..70	as such	When NOT used = NOT printed
44		Text_LNG	a2	Ø	
44	x	Document Type (Box 44)	an..3	DE	According to Rule 79 (App. A3-a2) When NOT used = NOT printed
44	x	Document Reference (Box 44)	an..20	as such	
44	x	Document_Reference_LNG	a2	Ø	
44	x	Complement of information(Box 44)	an..26	as such	When NOT used = NOT printed
44	x	Complement_of_information_LNG	a2	Ø	
44	x	Additional information id (Box 44)	an..3	DE	i.e. "Export from...subject to duty" OR "Export from...subject to restrictions" OR "EXPORT" When NOT used = NOT printed
44	x	Export from EC (Box 44)	a1	Text	When Flag = "Y" = print "EU", inserted in (...) one of the first two additional informations mentioned above
44	x	Export from country (Box 44)	a2	as such	When used, one or more Country codes to be inserted in (...) one of the first two additional informations mentioned above
44	x	Text (Box 44)	an..70	as such	When NOT used = NOT printed
44	x	Text_LNG	a2	Ø	

50		TIN (Box 50) [TRADER Principal]	an..17	as such	When NOT used = NOT printed	
50		Name (box 50)	an..35	Text		
50		Street and number (box 50)	an..35	Text		
50		Country (box 50)	a2	CO		
50		Postcode (box 50)	an..9	Text		
50		City (box 50)	an..35	Text		
50		NAD_LNG	a2	Ø		
50		Declaration place (box 50)	an..35	Ø		
50		Declaration_place_LNG	a2	Ø		
50		Declaration date (box 50)	n8	Ø		
50		Name (box 50) [Representative]	an..35	Ø		
50		Representative Capacity (Box 50)	a..35	Ø		
50		Representative_Capacity_LNG	a2	Ø		
51		Reference Number (Box 51)	an8	DE	Including "Country code" (after description)	
52		Guarantee Type (box 52)	n1	as such		
52		GRN (box 52)	an24	as such		
52		Other Guarantee Reference (box 52)	an..35	as such		
52		Access Code	an4	Ø		
52		Not Valid For EC (box 52)	n1	Text	When Flag = "1" = print "EU" When Flag = "0" = NOT printed	
52		Not Valid For Other Contracting Parties (box 52)	a2	as such	When NOT used = NOT printed	
53		Reference Number (Box 53)	an8	DE	Including "Country code" (after description) When "DIVERSION PROHIBITED" = print also "*" (after "Country code")	
53		TIN Authorised Consignee (Box 53)	an..17	Ø		
C		Nationality	---	Ø	For NCTS purposes no more needed (already included in MRN)	NOT APPLICABLE (= Ø) if certification (stamp) on AccDoc already contains the relevant information(s).
C		Reference Number (Box C)	an8	DE		
C		Document Number	---	Ø	For NCTS purposes no more needed (already included in MRN)	
C		Acceptance Date	n8	as such		
C		Authorised Trader	an..35	Text	When Simplified Procedure: print the "Name" of the Authorised Trader	
C		Authorisation Number	an..17	Text	Print the Number of the Authorisation for Simplified Procedure	
C	x	Reference Number (Box C)	an8	as such	from box "C" on AccDoc	
C	x	Acceptance Date	n8	as such	from box "C" on AccDoc	
C		Issuing Date	n8	Ø		

D		Control Result Code (box D)	an2	DE	
D		Seals Number (box D)	n..4	as such	When NOT used = print "---"
D		Seals Identity (box D)	an..20	as such	When more seals are used: print only the the first and the last identifier of each seals serie When NOT used = print "---"
D		Seals_Identity_LNG	a2	∅	
D		Date Limit (box D)	n8	as such	
D		Authorisation Id	an..17	∅	
D		Controlled By (Box D)	an..35	∅	
D		Controlled_By_LNG	a2	∅	
D		Control Date (Box D)	n8	∅	
D		Binding Itinerary (Box D)	an..140	Text	When used: print only " BINDING ITINERARY " (eventual details to be printed on a separate paper) When NOT used = NOT printed
D		Binding_Itinerary_LNG (Box D)	a2	∅	
D		Authentication Information (Box D)	an..70	as such	
D		Authentication Identifier (Box D)	n..9	as such	




Acronyms:

- **AccDoc:** Accompanying Document
- **Lol:** List of Items
- **PLL:** Paper Loading Lists

Column "Print": explanations

- "∅": information not printed
- "**as such**": print the information as stored in the system
- "**CO**": print the Country code
- "**DE**": print the description (name) relating to the code stored in the system
- "**Text**": print the "**Text**" as mentioned in the column "Remarks"

Column "Remarks": explanations

- : GREEN shading = remarks relating to **AccDoc**
- : ORANGE shading = remarks relating to **Lol**
- : YELLOW shading = additional remark