



AES Business Rules and Conditions

The information in this document is provided as a guide only and is not professional advice, including legal advice. It should not be assumed that the guidance is comprehensive or that it provides a definitive answer in every case.



	Version Control		
Version	Date	Change	
1.00	26/01/2022	Initial document published	
2.00	31/03/2022	National Specifications	
2.10	18/05/2022	BR2350 added	
2.20	19/8/2022	Added rules:	
		B1863,B1864,B1867,B1868,B1869,B1870,	
		C0222,C0281,	
		C0282,C0284,C0362,C0589,C0595,C0853,C0866,C0868,G0122	
3.00	20/9/2022	Added rules:	
		B1871, B1872, B1885, B1905, B1930, C0156, C0265, C0373, C0451, C0455,	
		C0548, C0549, C0551, C0557, C0591, C0672, C0680, C0681, C0682, C0683,	
		C0684, C0705, C0707, C0708, C0810, C0842, C0845, C0860, C0861, C0862,	
		C0864, C0874, E1106, G0021, G0051, G0128, G0196, G0216, G0321, G0331,	
		G0334, G0412, G0671, G0989, G0999, R0008, R0026, R0076, R0202, R0407,	
		R0409, R0449, R0475, R0521, R0551, R0522, R0720, R0861, R0864, R0875,	
		R0887, R0990, R0996, R0997, S0013, BR0676, BR3182	
		Rules removed:	
		C0895, B1812, B1833, E1402, G0054, G0137, R0722, T1120	
3.10	02/11/2022	Rules Changed:	
		BR3014	
4.00	12/01/2023	Added rules:	
		G0220, C0917	
		Rules Changed:	
		BR3003	
		Tariff rules added:	
		N101, N102, N103, N109, N110, N111, CD0102, CD0103, CD0113, CD0114,	



		CD0115, CD0197, CD0201, CD0204, CD0207, CD0208, CD0303 and CD0399
5.00	31/01/2023	Added rules:
		BR3183
		BR4000
		Rules Changed:
		N101 description typo corrected
		E1407, R0676, R0677, R0678, BR2311 and BR2313 error message
		modified
		Spacing adjusted
5.10	10/03/2023	Added Rules:
		BR1001
6.00	28/06/2023	Rules Changed:
		B2101, G0825, G0016, C0824, R0082
		Added Rules :
		G0187, C0167, C0182, G0365, T1100
		Removed Rules:
		B2400
6.10	17/08/2023	Update Rule Description for BR1001
		Added Description for BR0020 and BR3001



Code	Description	Error Message
G0016	Either the Customs Office of Exit Declared or the latest Customs Office of Exit	
	(Actual) to be consulted for invalidation only.	
B1803	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0211 attached to	
	/*/GoodsShipment/Consignment/CountryOfRoutingOfConsignment shall be	
	disabled	
	AND /*/GoodsShipment/Consignment/CountryOfRoutingOfConsignment = "O"	
B1807	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0392 attached to /*/GoodsShipment/Consignment/LocationOfGoods shall	
	be disabled	
	AND /*/GoodsShipment/Consignment/LocationOfGoods = "O"	
B1808	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76,	
	77} OR /*/GoodsShipment/GoodsItem/Procedure/previousProcedure is in SET {71,	
	78}	
	THEN	
	IF /*/GoodsShipment/Consignment/grossMass is PRESENT	
	THEN /*/GoodsShipment/GoodsItem/GoodsMeasure/grossMass = "O"	
	ELSE /*/GoodsShipment/GoodsItem/GoodsMeasure/grossMass = "R"	
	ELSE /*/GoodsShipment/GoodsItem/GoodsMeasure/grossMass = "O"	
B1810	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0273 attached to	
	/*/GoodsShipment/natureOfTransaction	
21212	shall be disabled.	
B1816	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN R0855 attached to	
	/*/GoodsShipment/Consignment/DepartureTransportMeans	
D4047	shall be disabled	
B1817	IF < Decisive Date> is LESS than or EQUAL to < TPendDate>	
	THEN C0273 attached to /*/GoodsShipment/countryOfExport	
	shall be disabled AND /*/GoodsShipment/countryOfExport = "O"	
B1818	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
D1010	THEN C0890 attached to	
	/*/GoodsShipment/Consignment/ActiveBorderTransportMeans shall be disabled	
	AND /*/GoodsShipment/Consignment/ActiveBorderTransportMeans = "O"	
B1819	IF < Decisive Date> is LESS than or EQUAL to < TPendDate>	
D1013	THEN R0219 attached to	
	/*/GoodsShipment/GoodsItem/Packaging/numberOfPackages	
	shall be disabled	
B1826	IF < Decisive Date> is LESS than OR EQUAL to < TPendDate>	
51020	THEN C0834 attached to	
	/*/GoodsShipment/Consignment/DepartureTransportMeans	
	shall be disabled AND	
	/*/GoodsShipment/Consignment/DepartureTransportMeans = "O"	
B1828	IF < Decisive Date> is LESS than or EQUAL to < TPendDate>	
	THEN C0259 attached to /*/GoodsShipment/GoodsItem/countryOfExport	
	, ,	1



	shall be disabled	
B1837	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/GoodsShipment/countryOfDestination is PRESENT	
	THEN /*/GoodsShipment/GoodsItem/countryOfDestination = "N"	
	ELSE IF /*/GoodsShipment/GoodsItem/Procedure/previousProcedure is in SET	
	{71,78}	
	THEN /*/GoodsShipment/GoodsItem/countryOfDestination = "O"	
	ELSE /*/GoodsShipment/GoodsItem/countryOfDestination = "R"	
B1838	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0503 attached to	
	/*/GoodsShipment/countryOfDestination shall be disabled	
	AND /*/GoodsShipment/countryOfDestination = "O"	
B1844	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76,	
	77} OR /*/GoodsShipment/GoodsItem/Procedure/previousProcedure is in SET {71,	
	78}	
	THEN	
	IF /*/GoodsShipment/GoodsItem/GoodsMeasure/grossMass is PRESENT	
	THEN /*/GoodsShipment/Consignment/grossMass = "O"	
	ELSE /*/GoodsShipment/Consignment/grossMass = "R"	
	ELSE /*/GoodsShipment/Consignment/grossMass = "O"	
B1846	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN R0840 attached to	
	/*/GoodsShipment/Consignment/Consignee/identificationNumber AND	
	/*/GoodsShipment/GoodsItem/Consignee/identificationNumber	
	shall be disabled	
B1855	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/GoodsShipment/countryOfExport is PRESENT	
	THEN /*/GoodsShipment/GoodsItem/countryOfExport = "N"	
	ELSE	
	IF (/CC515C/ExportOperation/specificCircumstanceIndicator is EQUAL to	
	'A20' OR /CC513C/ExportOperation/specificCircumstanceIndicator is EQUAL to	
	'A20')	
	THEN /*/GoodsShipment/GoodsItem/countryOfExport = "O"	
	ELSE /*/GoodsShipment/GoodsItem/countryOfExport = "R"	
B1856	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0375 attached to	
	/*/GoodsShipment/natureOfTransaction shall be disabled.	
B1857	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F}	
	THEN /*/GoodsShipment/natureOfTransaction = "N"	
	ELSE /*/GoodsShipment/natureOfTransaction = "O"	
B1863	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0222 attached to /*/Consignment/Consignee	
	shall be disabled.	



	T	1
B1864	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0853 attached to /*/Consignment/ConsignmentItem/Consignee	
	shall be disabled.	
B1865	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF/*/Consignment/ConsignmentItem/Consignee is PRESENT	
	THEN /*/Consignment/Consignee = "N"	
	ELSE /*/Consignment/Consignee = "O";	
	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/GoodsShipment/Consignment/Consignee is PRESENT	
	THEN /*/GoodsShipment/GoodsItem/Consignee = "N"	
	ELSE /*/GoodsShipment/GoodsItem/Consignee = "O"	
B1866	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
D1000		
	THEN	
	IF/*/Consignment/Consignee is PRESENT	
	THEN /*/Consignment/ConsignmentItem/Consignee = "N"	
	ELSE /*/Consignment/ConsignmentItem/Consignee = "O";	
	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/GoodsShipment/GoodsItem/Consignee is PRESENT	
	THEN /*/GoodsShipment/Consignment/Consignee = "N"	
	ELSE /*/GoodsShipment/Consignment/Consignee = "O"	
B1867	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0281 attached to /*/Consignment/Consignor	
	shall be disabled.	
B1868	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0282 attached to /*/Consignment/ConsignmentItem/Consignor	
	shall be disabled.	
B1869	IF < Decisive Date> is LESS than or EQUAL to < TPendDate>	
	THEN	
	IF/*/Consignment/ConsignmentItem/Consignor is PRESENT	
	THEN /*/Consignment/Consignor = "N"	
	ELSE /*/Consignment/Consignor = "O"	
B1870	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
22070	THEN	
	IF/*/Consignment/Consignor is PRESENT	
	THEN /*/Consignment/ConsignmentItem/Consignor = "N"	
	ELSE /*/Consignment/ConsignmentItem/Consignor = "O"	
B1871	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
D10/1	THEN	
	IF /*/GoodsShipment/GoodsItem/countryOfDestination for one goods item is	
	in SET {CL063 - 'AD' - 'SM'} THEN /*/Condeshipment/Condestign (sountry/OfDostination for all of goods)	
	THEN /*/GoodsShipment/GoodsItem/countryOfDestination for all of goods	
240==	items must be in SET {CL063 - 'AD' - 'SM'}	
B1872	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/GoodsShipment/GoodsItem/countryOfDestination for one goods item is	
	in SET {CL140 - 'QQ' - 'QR' - 'QV' + 'AD' + 'SM' +'DE' + 'IT'}	



	THEN /*/GoodsShipment/GoodsItem/countryOfDestination for all of goods	
	items must be in SET {CL140 - 'QQ' - 'QR' - 'QV' + 'AD' + 'SM' +'DE' + 'IT'}	
B1873	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0463 attached to	
	/*/GoodsShipment/GoodsItem/countryOfDestination	
	shall be disabled.	
B1878	IF < Decisive Date> is LESS than or EQUAL to < TPendDate>	
	THEN C0283 attached to /*/GoodsShipment/Consignment/Consignee	
	shall be disabled.	
B1879	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN C0351 attached to /*/GoodsShipment/GoodsItem/Consignee	
	shall be disabled.	
B1882	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/Authorisation/type is EQUAL to 'C513' AND	
	/*/ExportOperation/additionalDeclarationType is in SET {A, C}	
	THEN /*/GoodsShipment/Consignment/LocationOfGoods = "R"	
	ELSE /*/GoodsShipment/Consignment/LocationOfGoods = "O"	
B1883	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN R0473 attached to	
	/*/GoodsShipment/Consignment/DepartureTransportMeans/identificationNumbe	
	r	
	number will be disabled.	
B1884	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN	
	IF /*/GoodsShipment/Consignment/inlandModeOfTransport is EQUAL to '3'	
	THEN the multiplicity of	
	/*/GoodsShipment/Consignment/DepartureTransportMeans can be up to '3x'	
	ELSE the multiplicity of	
D4 005	/*/GoodsShipment/Consignment/DepartureTransportMeans is '1x'	
B1885	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN R0076 attached to	
	/*/GoodsShipment/Consignment/ActiveBorderTransportMeans/identificationNum	
	ber will be disabled.	
B1886	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
D1000	THEN C0028 attached to /*/GoodsShipment/GoodsItem/statisticalValue	
	shall be disabled	
B1887	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
D1007	THEN	
	IF /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET	
	{31, 71, 76, 77, 78}	
	THEN /*/GoodsShipment/GoodsItem/statisticalValue = "O"	
	ELSE /*/GoodsShipment/GoodsItem/statisticalValue = "R"	
B1905	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
כטבנט	THEN	
	IF /CC515C/ExportOperation/additionalDeclarationType is in SET {X, Y}	
	THEN /CC515C/GoodsShipment/PreviousDocument = "R"	
	ELSE /CC515C/GoodsShipment/PreviousDocument = "N"	
	LESE / CCSTSC/ GOODSSHIPMENTY FTEVIOUS DOCUMENT - IN	



B1919	IF < Decisive Date > is LESS than or EQUAL to < TPendDate >	
	THEN R0220 attached to	
	/*/GoodsShipment/GoodsItem/Packaging/typeOfPackages	
	shall be disabled	
B1930	IF < Decisive Date > is LESS than or EQUAL to < TPendDate >	
	THEN R0996 AND R0997 attached to	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure shall be disabled.	
B1964	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN R0364 attached to	
	/*/GoodsShipment/GoodsItem/Packaging/numberOfPackages	
	shall be disabled	
B2101	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /*/GoodsShipment/Consignment/DepartureTransportMeans/nationality =	
	"R";	
	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN	
	/*/GoodsShipment/Consignment/DepartureTransportMeans/typeOfIdentification	
	= "R";	
	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /*/GoodsShipment/Consignment/grossMass = "R";	
	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /*/Consignment/grossMass = "R";	
	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass =	
	"R";	
	IF < Decisive Date > is GREATER than < TPendDate >	
	THEN /CD501C/ExportOperation/additionalDeclarationType = "R";	
	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /*/ExportOperation/status = "R";	
	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /CD906C/FunctionalError/errorReason = "R";	
	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /*/CustomsOfficeOfExit = "R" AND /*/CustomsOfficeOfExport = "R";	
	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /*/Consignment/LocationsOfGoods = "R" AND	
	/*/Consignment/ConsignmentItem/Commodity/GoodsMeasure = "R"	
B2400	IF <decisive date=""> is GREATER than <tpenddate></tpenddate></decisive>	
	THEN /*/GoodsShipment/GoodsItem/TransportDocument = "N"	
C0028	IF /*/ExportOperation/declarationType is EQUAL to 'CO'	INCORECT
	THEN /*/GoodsShipment/GoodsItem/statisticalValue = "O"	STATISTICAL
	ELSE	VALUE
	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F}	
	THEN /*/GoodsShipment/GoodsItem/statisticalValue = "N"	
	ELSE	
	IF /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in	
	SET {76, 77}	
	THEN /*/GoodsShipment/GoodsItem/statisticalValue = "O"	
	ELSE /*/GoodsShipment/GoodsItem/statisticalValue = "R"	
C0050	IF /*/Declarant/identificationNumber is PRESENT AND is resolvable by the national	VALUE IS
COOSO	ii / /Decialaniyluentiinkationiivumbel is Preseivi AND is resolvable by the national	VALUE IS

REQUIRED

ALLOWED

OR NOT



```
application
THEN /*/Declarant/name = "N"
     AND /*/Declarant/Address = "N"
ELSE /*/Declarant/name = "R"
     AND /*/Declarant/Address = "R";
IF /*/Exporter/identificationNumber is PRESENT AND is resolvable by the national
application
THEN /*/Exporter/name = "N"
     AND /*/Exporter/Address = "N"
ELSE /*/Exporter/name = "R"
     AND /*/Exporter/Address = "R";
IF /*/GoodsShipment/Consignee/identificationNumber is PRESENT AND is
resolvable by the national application
THEN /*/GoodsShipment/Consignee/name = "N"
    AND /*/GoodsShipment/Consignee/Address = "N"
ELSE /*/GoodsShipment/Consignee/name = "R"
    AND /*/GoodsShipment/Consignee/Address = "R";
IF /*/GoodsShipment/Consignment/Consignor/identificationNumber is PRESENT
AND is resolvable by the national application
THEN /*/GoodsShipment/Consignment/Consignor/name = "N"
    AND /*/GoodsShipment/Consignment/Consignor/Address = "N"
ELSE /*/GoodsShipment/Consignment/Consignor/name = "R"
   AND /*/GoodsShipment/Consignment/Consignor/Address = "R";
IF /*/GoodsShipment/Consignment/ExitCarrier/identificationNumber is PRESENT
AND is resolvable by the national application
THEN /CC507C/GoodsShipment/Consignment/ExitCarrier/name = "N"
    AND /CC507C/GoodsShipment/Consignment/ExitCarrier/Address = "N"
ELSE /CC507C/GoodsShipment/Consignment/ExitCarrier/name = "R"
    AND /CC507C/GoodsShipment/Consignment/ExitCarrier/Address = "R";
IF /*/GoodsShipment/GoodsItem/Consignor/identificationNumber is PRESENT
AND is resolvable by the national application
THEN /*/GoodsShipment/GoodsItem/Consignor/name = "N"
   AND /*/GoodsShipment/GoodsItem/Consignor/Address = "N"
ELSE /*/GoodsShipment/GoodsItem/Consignor/name = "R"
   AND /*/GoodsShipment/GoodsItem/Consignor/Address = "R";
IF /*/GoodsShipment/GoodsItem/Consignee/identificationNumber is PRESENT
AND is resolvable by the national application
THEN /*/GoodsShipment/GoodsItem/Consignee/name = "N"
AND /*/GoodsShipment/GoodsItem/Consignee/Address = "N"
ELSE /*/GoodsShipment/GoodsItem/Consignee/name = "R"
   AND /*/GoodsShipment/GoodsItem/Consignee/Address = "R";
IF /*/Consignment/Consignee/identificationNumber is PRESENT AND is resolvable
by the national application
THEN /*/Consignment/Consignee/name = "N"
AND /*/Consignment/Consignee/Address = "N"
ELSE /*/Consignment/Consignee/name = "R"
AND /*/Consignment/Consignee/Address = "R";
IF /*/Consignment/ConsignmentItem/Consignee/identificationNumber is PRESENT
```



	AND is resolvable by the national application THEN /*/Consignment/ConsignmentItem/Consignee/name = "N" AND /*/Consignment/ConsignmentItem/Consignee/Address = "N" ELSE /*/Consignment/ConsignmentItem/Consignee/name = "R" AND /*/Consignment/ConsignmentItem/Consignee/Address = "R"; IF /*/Consignment/ConsignmentItem/Consignor/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/Consignment/ConsignmentItem/Consignor/name = "N" AND /*/Consignment/ConsignmentItem/Consignor/Address = "N" ELSE /*/Consignment/ConsignmentItem/Consignor/name = "R" AND /*/Consignment/Consignor/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/Consignment/Consignor/name = "N" AND /*/Consignment/Consignor/name = "R" AND /*/Consignment/Consignor/name = "R" IF /*/ExitCarrier/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/ExitCarrier/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/ExitCarrier/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/ExitCarrier/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/ExitCarrier/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/ExitCarrier/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/ExitCarrier/identificationNumber is PRESENT AND is resolvable by the national application THEN /*/ExitCarrier/identificationNumber is PRESENT AND is resolvable by the national application	
	AND /*/ExitCarrier/Address = "R"	
C0055	IF /*/GoodsShipment/Consignment/containerIndicator is EQUAL to '0' THEN /*/GoodsShipment/Consignment/TransportEquipment/containerIdentificationNu mber = "N" ELSE at least one iteration of /*/GoodsShipment/Consignment/TransportEquipment/containerIdentificationNu mber = "R" (for the rest of iterations is optional); IF /*/Consignment/containerIndicator is EQUAL to '0' THEN /*/Consignment/TransportEquipment/containerIdentificationNumber = "N" ELSE at least one iteration of /*/Consignment/TransportEquipment/containerIdentificationNumber = "R" (for the rest of iterations is optional)	VALUE IS REQUIRED
C0059	IF /*/ExportOperation/specificCircumstanceIndicator is EQUAL to 'A20' THEN /*/Consignment/referenceNumberUCR = "N" AND	VALUE IS NOT ALLOWED
C0060	IF /*/GoodsShipment/GoodsItem/Packaging/typeOfPackages is in SET CL181 THEN /*/GoodsShipment/GoodsItem/Packaging/shippingMarks = "O" AND /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages = "N" ELSE IF /*/GoodsShipment/GoodsItem/Packaging/typeOfPackages is in SET CL182 THEN /*/GoodsShipment/GoodsItem/Packaging/shippingMarks = "O" AND /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages = "R" ELSE /*/GoodsShipment/GoodsItem/Packaging/shippingMarks = "R"	VALUE IS REQUIRED OR NOT ALLOWED



	ELSE	
	THEN /*/Consignment/Consignee = "N"	
	'30600'	ALLOWED
CUZZZ	/*/Consignment/ConsignmentItem/AdditionalInformation/code is EQUAL TO 30600 OR any	ALLOWED
C0222	ELSE /*/GoodsShipment/Consignment/CountryOfRoutingOfConsignment = "O" IF /*/Consignment/AdditionalInformation/code is EQUAL TO '30600' OR any	VALUE IS NOT
	THEN /*/GoodsShipment/Consignment/CountryOfRoutingOfConsignment = "R"	
	EQUAL to '2'	REQUIRED
C0211	IF /*/ExportOperation/security is PRESENT AND /*/ExportOperation/security is	VALUE IS
	ELSE /*/CustomsOfficeOfExit = "R"	
	THEN /*/CustomsOfficeOfExit = "N"	
C0182	IF /*/CustomsOfficeOfPresentation is PRESENT	
	, , . , ,	ALLOWED
	ELSE /CC509C/ExportOperation/invalidationRequestDateAndTime = "R"	OR NOT
20200	THEN /CC509C/ExportOperation/invalidationRequestDateAndTime = "N"	REQUIRED
C0180	IF /CC509C/ExportOperation/invalidationInitiatedByCustoms is EQUAL to '1'	VALUE IS
	ELSE /CC509C/ExportOperation/invalidationJustification = "O"	
CO1/3	THEN /CC509C/ExportOperation/invalidationJustification = "R"	REQUIRED
C0175	IF /CC509C/ExportOperation/invalidationInitiatedByCustoms is EQUAL to '1'	VALUE IS
	ELSE /*/CustomsOfficeOfPresentation = "R"	
C0167	THEN /*/CustomsOfficeOfPresentation = "N"	
C0167	ELSE /CC525C/GoodsShipment = "N" IF /*/CustomsOfficeOfExit is PRESENT	
	· · · · · · · · · · · · · · · · · · ·	
C0156	IF /CC525C/ExportOperation/storingFlag is EQUAL to '1' THEN /CC525C/GoodsShipment = "R"	
C0156	AND /CC547C/ManifestItem/TransportDocumentData/numberOfPackages = "R"	
	ELSE /CC547C/ManifestItem/TransportDocumentData/shippingMarks = "R"	
	AND /CC547C/ManifestItem/TransportDocumentData/numberOfPackages = "R"	
	THEN /CC547C/ManifestItem/TransportDocumentData/shippingMarks = "O"	
	CL182	
	ELSE IF /CC547C/ManifestItem/TransportDocumentData/typeOfPackages is in SET	
	AND /CC547C/ManifestItem/TransportDocumentData/numberOfPackages = "N"	
	THEN /CC547C/ManifestItem/TransportDocumentData/shippingMarks = "O"	
	CL181	
	IF /CC547C/ManifestItem/TransportDocumentData/typeOfPackages is in SET	
	ELSE /*/Consignment/ConsignmentItem/Packaging/numberOfPackages = "R";	
	THEN /*/Consignment/ConsignmentItem/Packaging/numberOfPackages = "R"	
	CL182	
	ELSE IF /*/Consignment/ConsignmentItem/Packaging/typeOfPackages is in SET	
	THEN /*/Consignment/ConsignmentItem/Packaging/numberOfPackages = "N"	
	IF /*/Consignment/ConsignmentItem/Packaging/typeOfPackages is in SET CL181	
	ELSE /*/Consignment/ConsignmentItem/Packaging/shippingMarks = "R";	
	THEN /*/Consignment/ConsignmentItem/Packaging/shippingMarks = "O"	
	CL182	
	ELSE IF /*/Consignment/ConsignmentItem/Packaging/typeOfPackages is in SET	
	THEN /*/Consignment/ConsignmentItem/Packaging/shippingMarks = "O"	
	IF /*/Consignment/ConsignmentItem/Packaging/typeOfPackages is in SET CL181	
,		



	THEN /*/Consignment/Consignee = "N"	
	ELSE /*/Consignment/Consignee = "O"	
C0259	IF /*/GoodsShipment/countryOfExport is PRESENT	VALUE IS
00233	THEN /*/GoodsShipment/GoodsItem/countryOfExport = "N"	REQUIRED
	ELSE /*/GoodsShipment/GoodsItem/countryOfExport = "R";	OR NOT
	IF /*/GoodsShipment/natureOfTransaction is PRESENT	ALLOWED
	THEN /*/GoodsShipment/GoodsItem/natureOfTransaction = "N"	7.2201125
	ELSE /*/GoodsShipment/GoodsItem/natureOfTransaction = "R"	
C0265	IF /*/ExportOperation/declarationType is EQUAL to 'CO'	
	THEN /*/ExportOperation/security = "N"	
	ELSE /*/ExportOperation/security = "R"	
C0273	IF /*/GoodsShipment/GoodsItem/countryOfExport is PRESENT	VALUE IS
	THEN /*/GoodsShipment/countryOfExport = "N"	REQUIRED
	ELSE /*/GoodsShipment/countryOfExport = "R";	OR NOT
	IF /*/GoodsShipment/GoodsItem/natureOfTransaction is PRESENT	ALLOWED
	THEN /*/GoodsShipment/natureOfTransaction = "N"	
	ELSE /*/GoodsShipment/natureOfTransaction = "R"	
C0281	IF /*/Consignment/ConsignmentItem/Consignor is PRESENT	VALUE IS NOT
	THEN /*/Consignment/Consignor = "N"	ALLOWED
	ELSE /*/Consignment/Consignor = "O"	
C0282	IF /*/Consignment/Consignor is PRESENT	VALUE IS NOT
	THEN /*/Consignment/ConsignmentItem/Consignor = "N"	ALLOWED
	ELSE /*/Consignment/ConsignmentItem/Consignor = "O"	
C0283	IF /*/GoodsShipment/AdditionalInformation/code is EQUAL TO '30600' OR any	VALUE IS NOT
	/*/GoodsShipment/GoodsItem/AdditionalInformation/code is EQUAL to '30600'	ALLOWED
	THEN /*/GoodsShipment/Consignment/Consignee = "N"	
	ELSE	
	IF /*/GoodsShipment/GoodsItem/Consignee is PRESENT	
	THEN /*/GoodsShipment/Consignment/Consignee = "N"	
	ELSE /*/GoodsShipment/Consignment/Consignee = "O"	
C0284	IF /*/Consignment/TransportCharges is PRESENT	VALUE IS NOT
	THEN /*/Consignment/ConsignmentItem/TransportCharges = "N"	ALLOWED
	ELSE /*/Consignment/ConsignmentItem/TransportCharges = "O"	
C0298	IF /*/GoodsShipment/GoodsItem/SupportingDocument/quantity is PRESENT	VALUE IS
	THEN	REQUIRED
	/*/GoodsShipment/GoodsItem/SupportingDocument/measurementUnitAndQualif	OR NOT
	ier = "R"	ALLOWED
	ELSE	
	/*/GoodsShipment/GoodsItem/SupportingDocument/measurementUnitAndQualif	
	ier = "N";	
	IF /*/GoodsShipment/GoodsItem/PreviousDocument/quantity is PRESENT	
	THEN	
	/*/GoodsShipment/GoodsItem/PreviousDocument/measurementUnitAndQualifier	
	= "R"	
	ELSE	
	/*/GoodsShipment/GoodsItem/PreviousDocument/measurementUnitAndQualifier	
	= "N";	
	IF	
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	



	axBase/quantity is PRESENT	
	THEN	
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	
	axBase/measurementUnitAndQualifier = "R"	
	ELSE	
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	
	axBase/measurementUnitAndQualifier = "N";	
	IF /*/Consignment/ConsignmentItem/PreviousDocument/quantity is PRESENT	
	THEN	
	/*/Consignment/ConsignmentItem/PreviousDocument/measurementUnitAndQual	
	ifier = "R"	
	ELSE	
	/*/Consignment/ConsignmentItem/PreviousDocument/measurementUnitAndQual	
	ifier = "N"	
C0335	IF /*/GoodsShipment/GoodsItem/TransportCharges is PRESENT	VALUE IS NOT
	THEN /*/GoodsShipment/Consignment/TransportCharges = "N"	ALLOWED
	ELSE /*/GoodsShipment/Consignment/TransportCharges = "O";	
	IF /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT	
	THEN /*/Consignment/referenceNumberUCR = "N"	
	ELSE /*/Consignment/referenceNumberUCR = "O";	
	IF /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT	
	THEN /*/GoodsShipment/Consignment/referenceNumberUCR = "N"	
	ELSE /*/GoodsShipment/Consignment/referenceNumberUCR = "O"	
C0351	IF /*/GoodsShipment/AdditionalInformation/code is EQUAL TO '30600' OR this	VALUE IS NOT
	/*/GoodsShipment/GoodsItem/AdditionalInformation/code is EQUAL to '30600'	ALLOWED
	THEN this /*/GoodsShipment/GoodsItem/Consignee = "N"	
	ELSE	
	IF /*/GoodsShipment/Consignment/Consignee is PRESENT	
	THEN this /*/GoodsShipment/GoodsItem/Consignee = "N"	
	ELSE this /*/GoodsShipment/GoodsItem/Consignee = "O"	
C0362	IF /*/Consignment/ConsignmentItem/TransportCharges is PRESENT	VALUE IS NOT
00302	THEN /*/Consignment/TransportCharges = "N"	ALLOWED
	ELSE /*/Consignment/TransportCharges = "O"	ALLOWED
C0371	IF /CC548C/FunctionalError is PRESENT	VALUE IS
C03/1	THEN /CC548C/ExportOperation/manifestNumber = "N"	REQUIRED
	AND /CC548C/ExportOperation/manifestRegistrationDate = "N"	OR NOT
	AND /CC548C/CustomsOfficeOfExitActual = "N"	ALLOWED
	ELSE /CC548C/ExportOperation/manifestNumber = "R"	ALLOWED
	AND /CC548C/ExportOperation/manifestRegistrationDate = "R"	
C0372	AND /CC548C/CustomsOfficeOfExitActual = "R" IF /CC548C/FunctionalError is PRESENT	VALUE IS
CU3/2	THEN /CC548C/ExportOperation/manifestRejectionDate = "R"	
		REQUIRED OR NOT
	AND /CC548C/ExportOperation/manifestRejectionReason = "R"	
	ELSE /CC548C/ExportOperation/manifestRejectionDate = "N"	ALLOWED
60272	AND /CC548C/ExportOperation/manifestRejectionReason = "N"	
C0373	IF	
	/CC537/ExciseMovementEAD/CombinedNomenclatureCodeCrossCheckResult/vali	
	dationResult is EQUAL to '0'	
	THEN	



	/CC537C/ExciseMovementEAD/CombinedNomenclatureCodeCrossCheckResult/rej	
	ectionReason = "R"	
	ELSE	
	/CC537C/ExciseMovementEAD/CombinedNomenclatureCodeCrossCheckResult/rej	
	ectionReason = "N"	
C0374	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F}	VALUE IS
	THEN /*/GoodsShipment/Consignment/modeOfTransportAtTheBorder = "N"	REQUIRED
	ELSE IF /*/ExportOperation/declarationType is EQUAL to 'CO' AND	OR NOT
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET	ALLOWED
	{10,76,77}	
	THEN /*/GoodsShipment/Consignment/modeOfTransportAtTheBorder = "O"	
	ELSE /*/GoodsShipment/Consignment/modeOfTransportAtTheBorder = "R"	
C0375	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F}	VALUE IS NOT
00075	THEN /*/GoodsShipment/GoodsItem/TransportCharges = "N" AND NO validation	ALLOWED
	of other conditions is performed	ALLO WED
	ELSE /*/GoodsShipment/GoodsItem/TransportCharges optionality will be derived	
	from other applicable conditions;	
	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F}	
	THEN /*/GoodsShipment/Consignment/TransportCharges = "N" AND NO	
	validation of other conditions	
	is performed	
	ELSE /*/GoodsShipment/Consignment/TransportCharges optionality will be	
	derived from other applicable conditions;	
	• •	
	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F} THEN	
	(/*/GoodsShipment/GoodsItem/natureOfTransaction = "N" AND NO validation of other conditions	
	is performed) AND (/*/GoodsShipment/Warehouse = "N" AND NO validation of other conditions	
	•	
	is performed)	
	AND (/*/GoodsShipment/natureOfTransaction = "N" AND NO validation of other	
	conditions is performed)	
	ELSE	
	/*/GoodsShipment/GoodsItem/natureOfTransaction optionality will be derived	
	from other applicable conditions	
	AND /*/GoodsShipment/natureOfTransaction optionality will be derived from	
	other applicable conditions	
	AND /*/GoodsShipment/Warehouse optionality will be derived from other	
60202	applicable conditions	\/A!!!E!C
C0382	IF /*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress/country is	VALUE IS
	in SET CL198	REQUIRED
	THEN /*/CondeShipmont/Consignment/LogationOfConde/DestandeAddress/houseNumb	
	/*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress/houseNumb	
	er = "O"	
	ELSE	
	/*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress/houseNumb	
	er = "R";	
	IF /*/Consignment/LocationOfGoods/PostcodeAddress/country is in SET CL198	
	THEN /*/Consignment/LocationOfGoods/PostcodeAddress/houseNumber = "O"	



	ELSE /*/Consignment/LocationOfGoods/PostcodeAddress/houseNumber = "R"	
C0392	IF /*/ExportOperation/additionalDeclarationType is in SET {D, E, F}	VALUE IS
	THEN /*/GoodsShipment/Consignment/LocationOfGoods = "O"	REQUIRED
	ELSE /*/GoodsShipment/Consignment/LocationOfGoods = "R"	
C0394	IF /*/GoodsShipment/Consignment/LocationOfGoods/qualifierOfIdentification is	VALUE IS
	EQUAL to 'Z'	REQUIRED
	THEN	OR NOT
	/*/GoodsShipment/Consignment/LocationOfGoods/Address = "R"	ALLOWED
	AND /*/GoodsShipment/Consignment/LocationOfGoods/authorisationNumber = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/UNLocode = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/CustomsOffice = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/GNSS = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/EconomicOperator = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/ContactPerson = "O"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress = "N" ELSE IF	
	/*/GoodsShipment/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'X'	
	THEN	
	/*/GoodsShipment/Consignment/LocationOfGoods/EconomicOperator = "R"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/UNLocode = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/CustomsOffice = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/GNSS = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/authorisationNumber = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/Address = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/ContactPerson = "O"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress = "N" ELSE IF	
	/*/GoodsShipment/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'Y'	
	THEN	
	/*/GoodsShipment/Consignment/LocationOfGoods/authorisationNumber = "R"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/UNLocode = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/CustomsOffice = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/GNSS = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/EconomicOperator = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/Address = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/ContactPerson = "O"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress = "N"	
	ELSE IF	
	/*/GoodsShipment/Consignment/LocationOfGoods/qualifierOfIdentification is	
	EQUAL to 'W'	
	THEN	
	/*/GoodsShipment/Consignment/LocationOfGoods/GNSS = "R"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/UNLocode = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/CustomsOffice = "N"	
	AND /*/GoodsShipment/Consignment/LocationOfGoods/EconomicOperator = "N"	



```
AND /*/GoodsShipment/Consignment/LocationOfGoods/authorisationNumber =
"N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/Address = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/ContactPerson = "O"
AND /*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress = "N"
ELSE IF
/*/GoodsShipment/Consignment/LocationOfGoods/qualifierOfIdentification is
EQUAL to 'V'
THEN
/*/GoodsShipment/Consignment/LocationOfGoods/CustomsOffice = "R"
AND /*/GoodsShipment/Consignment/LocationOfGoods/UNLocode = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/GNSS = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/EconomicOperator = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/authorisationNumber =
"N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/Address = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/ContactPerson = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress = "N"
ELSE IF
/*/GoodsShipment/Consignment/LocationOfGoods/qualifierOfIdentification is
EQUAL to 'U'
THEN
/*/GoodsShipment/Consignment/LocationOfGoods/UNLocode = "R"
AND/*/GoodsShipment/Consignment/LocationOfGoods/CustomsOffice = "N"
AND/*/GoodsShipment/Consignment/LocationOfGoods/GNSS = "N"
AND/*/GoodsShipment/Consignment/LocationOfGoods/authorisationNumber =
"N"
AND/*/GoodsShipment/Consignment/LocationOfGoods/EconomicOperator = "N"
AND/*/GoodsShipment/Consignment/LocationOfGoods/Address = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/ContactPerson = "O"
AND /*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress = "N"
ELSE IF
/*/GoodsShipment/Consignment/LocationOfGoods/qualifierOfIdentification is
EQUAL to 'T'
THEN
/*/GoodsShipment/Consignment/LocationOfGoods/Address = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/authorisationNumber =
"N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/UNLocode = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/CustomsOffice = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/GNSS = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/EconomicOperator = "N"
AND /*/GoodsShipment/Consignment/LocationOfGoods/ContactPerson = "O"
AND /*/GoodsShipment/Consignment/LocationOfGoods/PostcodeAddress = "R";
IF /*/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'Z'
THEN
/*/Consignment/LocationOfGoods/Address = "R"
AND /*/Consignment/LocationOfGoods/authorisationNumber = "N"
```

AND /*/Consignment/LocationOfGoods/UNLocode = "N"



```
AND /*/Consignment/LocationOfGoods/CustomsOffice = "N"
AND /*/Consignment/LocationOfGoods/GNSS = "N"
AND /*/Consignment/LocationOfGoods/EconomicOperator = "N"
AND /*/Consignment/LocationOfGoods/ContactPerson = "O"
AND /*/Consignment/LocationOfGoods/PostcodeAddress = "N"
ELSE IF /*/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'X'
THEN
/*/Consignment/LocationOfGoods/EconomicOperator = "R"
AND /*/Consignment/LocationOfGoods/UNLocode = "N"
AND /*/Consignment/LocationOfGoods/CustomsOffice = "N"
AND /*/Consignment/LocationOfGoods/GNSS = "N"
AND /*/Consignment/LocationOfGoods/authorisationNumber = "N"
AND /*/Consignment/LocationOfGoods/Address = "N"
AND /*/Consignment/LocationOfGoods/ContactPerson = "O"
AND /*/Consignment/LocationOfGoods/PostcodeAddress = "N"
ELSE IF /*/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'Y'
THEN
/*/Consignment/LocationOfGoods/authorisationNumber = "R"
AND /*/Consignment/LocationOfGoods/UNLocode = "N"
AND /*/Consignment/LocationOfGoods/CustomsOffice = "N"
AND /*/Consignment/LocationOfGoods/GNSS = "N"
AND /*/Consignment/LocationOfGoods/EconomicOperator = "N"
AND /*/Consignment/LocationOfGoods/Address = "N"
AND /*/Consignment/LocationOfGoods/ContactPerson = "O"
AND /*/Consignment/LocationOfGoods/PostcodeAddress = "N"
ELSE IF /*/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'W'
THEN
/*/Consignment/LocationOfGoods/GNSS = "R"
AND /*/Consignment/LocationOfGoods/UNLocode = "N"
AND /*/Consignment/LocationOfGoods/CustomsOffice = "N"
AND /*/Consignment/LocationOfGoods/EconomicOperator = "N"
AND /*/Consignment/LocationOfGoods/authorisationNumber = "N"
AND /*/Consignment/LocationOfGoods/Address = "N"
AND /*/Consignment/LocationOfGoods/ContactPerson = "O"
AND /*/Consignment/LocationOfGoods/PostcodeAddress = "N"
ELSE IF /*/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'V'
THEN
/*/Consignment/LocationOfGoods/CustomsOffice = "R"
AND /*/Consignment/LocationOfGoods/UNLocode = "N"
AND /*/Consignment/LocationOfGoods/GNSS = "N"
AND /*/Consignment/LocationOfGoods/EconomicOperator = "N"
AND /*/Consignment/LocationOfGoods/authorisationNumber = "N"
AND /*/Consignment/LocationOfGoods/Address = "N"
AND /*/Consignment/LocationOfGoods/ContactPerson = "N"
AND /*/Consignment/LocationOfGoods/PostcodeAddress = "N"
ELSE IF /*/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'U'
THEN
/*/Consignment/LocationOfGoods/UNLocode = "R"
AND/*/Consignment/LocationOfGoods/CustomsOffice = "N"
```



		I
	AND/*/Consignment/LocationOfGoods/GNSS = "N"	
	AND/*/Consignment/LocationOfGoods/authorisationNumber = "N"	
	AND/*/Consignment/LocationOfGoods/EconomicOperator = "N"	
	AND/*/Consignment/LocationOfGoods/Address = "N"	
	AND /*/Consignment/LocationOfGoods/ContactPerson = "O"	
	AND /*/Consignment/LocationOfGoods/PostcodeAddress = "N"	
	ELSE IF /*/Consignment/LocationOfGoods/qualifierOfIdentification is EQUAL to 'T'	
	THEN	
	/*/Consignment/LocationOfGoods/Address = "N"	
	AND /*/Consignment/LocationOfGoods/authorisationNumber = "N"	
	AND /*/Consignment/LocationOfGoods/UNLocode = "N"	
	AND /*/Consignment/LocationOfGoods/CustomsOffice = "N"	
	AND /*/Consignment/LocationOfGoods/GNSS = "N"	
	AND /*/Consignment/LocationOfGoods/EconomicOperator = "N"	
	AND /*/Consignment/LocationOfGoods/ContactPerson = "O"	
	AND /*/Consignment/LocationOfGoods/PostcodeAddress = "R"	
C0407	IF /*/ExportOperation/totalAmountInvoiced is PRESENT	VALUE IS
	THEN /*/ExportOperation/invoiceCurrency = "R"	REQUIRED
	ELSE /*/ExportOperation/invoiceCurrency = "N"	
C0451	IF /*/ControlDetails/type is EQUAL to '50'	
	THEN /*/ControlDetails/text = "R"	
	ELSE /*/ControlDetails/text = "O";	
	IF /*/TypeOfControls/type is EQUAL to '50'	
	THEN /*/TypeOfControls/text = "R"	
	ELSE /*/TypeOfControls/text = "O"	
C0452	IF /CC560C/ExportOperation/notificationType is in SET {1, 2}	VALUE IS
	THEN /CC560C/TypeOfControls = "N"	REQUIRED
	ELSE /CC560C/TypeOfControls = "R"	
C0455	IF /CC560C/ExportOperation/notificationType is EQUAL to '1'	
00.00	THEN /CC560C/RequestedDocument = "R"	
	ELSE IF /CC560C/ExportOperation/notificationType is EQUAL to '0'	
	THEN /CC560C/RequestedDocument = "O"	
	ELSE /CC560C/RequestedDocument = "N"	
C0462	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F}	VALUE IS NOT
CO-102	THEN	ALLOWED
	/*/GoodsShipment/DeliveryTerms = "N"	, VV L D
	AND /*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes = "N"	
	ELSE	
	/*/GoodsShipment/DeliveryTerms = "O"	
	AND /*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes = "O"	
C0463	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F} AND	VALUE IS
C0403	(/*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F} AND (/*/ExportOperation/security is	REQUIRED
	EQUAL to '2')	OR NOT
	THEN	ALLOWED
		ALLUVVED
	IF /*/GoodsShipment/countryOfDestination is PRESENT	
	THEN /*/GoodsShipment/GoodsItem/countryOfDestination = "N"	
	ELSE /*/GoodsShipment/GoodsItem/countryOfDestination = "O"	
	ELSE	
	IF /*/GoodsShipment/countryOfDestination is PRESENT	



	TUEN /*/CoodeChianant/Coodeltana/county-OfDestination - "NI"	<u> </u>
	THEN /*/GoodsShipment/GoodsItem/countryOfDestination = "N"	
C04C7	ELSE /*/GoodsShipment/GoodsItem/countryOfDestination = "R"	VALUE IC
C0467	IF /CC528C/ExportOperation/declarationAcceptanceDate is PRESENT	VALUE IS
	THEN /*/ExportOperation/MRN = "R" AND /*/ExportOperation/LRN = "N"	REQUIRED
	ELSE /*/ExportOperation/MRN = "N" AND /*/ExportOperation/LRN = "R"	OR NOT
00.474	15 /*/C C : 1/C : 1/T 1/C : DD5C5NIT	ALLOWED
C0471	IF /*/GoodsShipment/Consignment/TransportCharges is PRESENT	VALUE IS NOT
	THEN /*/GoodsShipment/GoodsItem/TransportCharges = "N"	ALLOWED
	ELSE /*/GoodsShipment/GoodsItem/TransportCharges = "O";	
	IF /*/GoodsShipment/Consignment/referenceNumberUCR is PRESENT	
	THEN /*/GoodsShipment/GoodsItem/referenceNumberUCR = "N"	
	ELSE /*/GoodsShipment/GoodsItem/referenceNumberUCR = "O";	
	IF /*/Consignment/referenceNumberUCR is PRESENT	
	THEN /*/Consignment/ConsignmentItem/referenceNumberUCR = "N"	
	ELSE /*/Consignment/ConsignmentItem/referenceNumberUCR = "O"	
C0492	IF /*/ExportOperation/rejectionCode is EQUAL to '4'	VALUE IS
	THEN /*/ExportOperation/rejectionReason = "R"	REQUIRED
	ELSE /*/ExportOperation/rejectionReason = "O"	
C0493	IF /*/ExportOperation/businessRejectionType is EQUAL to '583'	VALUE IS
	THEN /CC556C/ExportOperation/MRN = "R" AND /CC556C/ExportOperation/LRN =	REQUIRED
	"N"	
	ELSE	
	IF /*/ExportOperation/businessRejectionType is in SET {'513', '514'} AND	
	/CC528C/ExportOperation/declarationAcceptanceDate is PRESENT	
	THEN /CC556C/ExportOperation/MRN = "R" AND	
	/CC556C/ExportOperation/LRN = "N"	
	ELSE /CC556C/ExportOperation/LRN = "R" AND	
	/CC556C/ExportOperation/MRN = "N"	
C0494	IF/CC557C/ExportOperation/businessRejectionType is in SET {507, 590}	VALUE IS
	THEN /CC557C/ExitCarrier = "R" AND /CC557C/Declarant = "N"	REQUIRED
	ELSE /CC557C/Declarant = "R" AND /CC557C/ExitCarrier = "N"	
C0503	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F} AND	VALUE IS
	(/*/ExportOperation/security is PRESENT AND /*/ExportOperation/security is	REQUIRED
	EQUAL to '2')	OR NOT
	THEN	ALLOWED
	IF /*/GoodsShipment/GoodsItem/countryOfDestination is PRESENT	
	THEN /*/GoodsShipment/countryOfDestination = "N"	
	ELSE /*/GoodsShipment/countryOfDestination = "O"	
	ELSE	
	IF /*/GoodsShipment/GoodsItem/countryOfDestination is PRESENT	
	THEN /*/GoodsShipment/countryOfDestination = "N"	
	ELSE /*/GoodsShipment/countryOfDestination = "R"	
C0505	IF /*/Exporter/Address/country is in SET CL505	VALUE IS
	THEN /*/Exporter/Address/postcode="O"	REQUIRED
	ELSE /*/Exporter/Address/postcode="R";	
	IF /*/Declarant/Address/country is in SET CL505	
	THEN /*/Declarant/Address/postcode="O"	
	ELSE /*/Declarant/Address/postcode="R";	
	IF /*/ExitCarrier/Address/country is in SET CL505	



	THEN /CC507C/ExitCarrier/Address/postcode="O"	
	ELSE /CC507C/ExitCarrier/Address/postcode="R";	
	· · · · · · · · · · · · · · · · · · ·	
	IF /*/GoodsShipment/Consignment/LocationOfGoods/Address/country is in SET	
	CL505	
	THEN /*/GoodsShipment/Consignment/LocationOfGoods/Address/postcode="O"	
	ELSE /*/GoodsShipment/Consignment/LocationOfGoods/Address/postcode="R";	
	IF /*/GoodsShipment/Consignee/Address/country is in SET CL505	
	THEN /*/GoodsShipment/Consignee/Address/postcode="0"	
	ELSE /*/GoodsShipment/Consignee/Address/postcode="R";	
	IF /*/GoodsShipment/Consignment/Consignor/Address/country is in SET CL505	
	THEN /*/GoodsShipment/Consignment/Consignor/Address/postcode="0"	
	ELSE /*/GoodsShipment/Consignment/Consignor/Address/postcode="R";	
	IF /*/GoodsShipment/GoodsItem/Consignee/Address/country is in SET CL505	
	THEN /*/GoodsShipment/GoodsItem/Consignee/Address/postcode="O"	
	ELSE /*/GoodsShipment/GoodsItem/Consignee/Address/postcode="R";	
	IF /*/GoodsShipment/GoodsItem/Consignor/Address/country is in SET CL505	
	THEN /*/GoodsShipment/GoodsItem/Consignor/Address/postcode="O"	
	ELSE /*/GoodsShipment/GoodsItem/Consignor/Address/postcode="R";	
	IF /*/Consignment/LocationOfGoods/Address/country is in SET CL505	
	THEN /*/Consignment/LocationOfGoods/Address/postcode="0"	
	ELSE /*/Consignment/LocationOfGoods/Address/postcode="R";	
	IF /*/Consignment/Consignee/Address/country is in SET CL505	
	THEN /*/Consignment/Consignee/Address/postcode="0"	
	ELSE /*/Consignment/Consignee/Address/postcode="R";	
	IF /*/Consignment/Consigner/Address/country is in SET CL505	
	THEN /*/Consignment/Consignor/Address/postcode="0"	
	ELSE /*/Consignment/Consignment/tom/Address/postcode="R";	
	IF /*/Consignment/ConsignmentItem/Consignor/Address/country is in SET CL505	
	THEN /*/Consignment/ConsignmentItem/Consignor/Address/postcode="0"	
	ELSE /*/Consignment/ConsignmentItem/Consignor/Address/postcode="R";	
	IF /*/Consignment/ConsignmentItem/Consignee/Address/country is in SET CL505	
	THEN /*/Consignment/ConsignmentItem/Consignee/Address/postcode="0"	
	ELSE /*/Consignment/ConsignmentItem/Consignee/Address/postcode="R"	
C0511	IF /*/messageType is in SET CL610	VALUE IS
	THEN /*/correlationIdentifier = "R"	REQUIRED
	ELSE IF /*/messageType is in SET CL385	
	THEN /*/correlationIdentifier = "N"	
	ELSE /*/correlationIdentifier = "O"	
C0548	IF /CC537C/ExciseMovementEAD/UBRCrossCheckResult/validationResult is EQUAL	
	to '0'	
	THEN /CC537C/ExciseMovementEAD/CombinedNomenclatureCrossCheckResult =	
	"N" AND	
	/CC537C/ExciseMovementEAD/NetMassCrossCheckResult = "N"	
	ELSE /CC537C/ExciseMovementEAD/CombinedNomenclatureCrossCheckResult=	
	"R" OR	
	/CC537C/ExciseMovementEAD/NetMassCrossCheckResult = "R"	
C0549	IF /CC537C/ExciseMovementEAD/UBRCrossCheckResult/validationResult is EQUAL	
	to '0'	
	THEN /CC537C/ExciseMovementEAD/UBRCrossCheckResult/rejectionReason = "R"	
<u> </u>	. ,	



	ELSE /CC537C/ExciseMovementEAD/UBRCrossCheckResult/rejectionReason = "N"	
C0551	IF /CC537C/ExciseMovementEAD/NetMassCrossCheckResult/validationResult is	
	EQUAL to '0'	
	THEN /CC537C/ExciseMovementEAD/NetMassCrossCheckResult/rejectionReason = "R"	
	ELSE /CC537C/ExciseMovementEAD/NetMassCrossCheckResult/rejectionReason = "N"	
C0556	IF /*/ExportOperation/invoiceCurrency is PRESENT	VALUE IS NOT
C0330	THEN /*/CurrencyExchange/exchangeRate = "O"	ALLOWED
	ELSE /*/CurrencyExchange/exchangeRate = "N"	ALLOWED
C0557		
C0557	IF /CC515C/CustomsOfficeOfPresentation/referenceNumber is PRESENT AND is NOT EQUAL to	
	/*/CustomsOfficeOfExitDeclared/referenceNumber	
	THEN	
	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F}	
	OR {/*/ExportOperation/declarationType is EQUAL to 'CO' AND	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is EQUAL to '10'}	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
	ELSE	
	IF /*/ExportOperation/declarationType is EQUAL to 'CO' AND	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76, 77}	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "O"	
	ELSE /*/GoodsShipment/Consignment/inlandModeOfTransport = "R"	
	ELSE IF /CC515C/CustomsOfficeOfPresentation/referenceNumber is PRESENT AND	
	is EQUAL to	
	/*/CustomsOfficeOfExitDeclared/referenceNumber	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
	ELSE IF /CC515C/CustomsOfficeOfPresentation/referenceNumber is NOT PRESENT AND	
	/*/CustomsOfficeOfExport/referenceNumber is NOT EQUAL to	
	/*/CustomsOfficeOfExitDeclared/referenceNumber	
	THEN	
	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F}	
	OR {/*/ExportOperation/declarationType is EQUAL to 'CO' AND	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is EQUAL to '10'}	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
	ELSE	
	IF /*/ExportOperation/declarationType is EQUAL to 'CO' AND	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76, 77}	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "O"	
	ELSE /*/GoodsShipment/Consignment/inlandModeOfTransport = "R"	
	ELSE /*/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
C0558	IF	VALUE IS NOT
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/	ALLOWED
	methodOfPayment is PRESENT AND	
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/	
	methodOfPayment is in SET {E,G}	
	THEN /*/DeferredPayment = "O"	
	ELSE /*/DeferredPayment = "N"	



60564	15 /*/5 10 11 11 12 1001 AND	\/A1115.1C
C0561	IF /*/ExportOperation/declarationType = 'CO' AND	VALUE IS
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76, 77}	REQUIRED
	THEN /*/GoodsShipment/Warehouse = "R"	
	ELSE IF /*/GoodsShipment/GoodsItem/Procedure/previousProcedure is in SET {71,	
	76, 77}	
	THEN /*/GoodsShipment/Warehouse = "R"	
	ELSE /*/GoodsShipment/Warehouse = "O"	
C0569	IF /*/GoodsShipment/Consignment/TransportEquipment/numberOfSeals is	VALUE IS
	GREATER than '0'	REQUIRED
	THEN /*/GoodsShipment/Consignment/TransportEquipment/Seal = "R"	
	ELSE /*/GoodsShipment/Consignment/TransportEquipment/Seal = "N";	
	IF /*/Consignment/TransportEquipment/numberOfSeals is GREATER than '0'	
	THEN /*/Consignment/TransportEquipment/Seal = "R"	
	ELSE /*/Consignment/TransportEquipment/Seal = "N"	
C0589	IF /*/Consignment/containerIndicator is PRESENT	VALUE IS
	THEN	REQUIRED
	IF /*/Consignment/containerIndicator is EQUAL to '1'	OR NOT
	THEN /*/Consignment/TransportEquipment = "R"	ALLOWED
	ELSE /*/Consignment/TransportEquipment = "O"	
	ELSE /*/Consignment/TransportEquipment = "N"	
C0591	IF /*/ExportOperation/specificCircumstanceIndicator is EQUAL to 'A20'	
-	THEN /*/Consignment/containerIndicator = "N"	
	ELSE /*/Consignment/containerIndicator = "R"	
C0595	IF /*/ExportOperation/specificCircumstanceIndicator is EQUAL to 'A20'	VALUE IS NOT
00333	THEN /*/Consignment/SupportingDocument = "N" AND	ALLOWED
	/*/Consignment/ConsignmentItem/SupportingDocument = "N"	71220 1120
	ELSE /*/Consignment/SupportingDocument = "O" AND	
	/*/Consignment/ConsignmentItem/SupportingDocument = "O"	
C0596	IF /*/GoodsShipment/DeliveryTerms/incotermCode is EQUAL to 'XXX'	VALUE IS
C0330	THEN	REQUIRED
	/*/GoodsShipment/DeliveryTerms/text = "R" AND	OR NOT
	/*/GoodsShipment/DeliveryTerms/UNLocode = "O" AND	ALLOWED
	/*/GoodsShipment/DeliveryTerms/location = "O" AND	ALLOWED
	/*/GoodsShipment/DeliveryTerms/country = "O"	
	ELSE	
	(/*/GoodsShipment/DeliveryTerms/UNLocode = "R" AND	
	/*/GoodsShipment/DeliveryTerms/location = "O" AND	
	/*/GoodsShipment/DeliveryTerms/country = "O" AND	
	/*/GoodsShipment/DeliveryTerms/text = "N")	
	OR	
	(/*/GoodsShipment/DeliveryTerms/UNLocode = "O" AND	
	/*/GoodsShipment/DeliveryTerms/location = "R" AND	
	/*/GoodsShipment/DeliveryTerms/country = "R" AND	
	/*/GoodsShipment/DeliveryTerms/text = "N")	
C0655	IF /*/ExportOperation/additionalDeclarationType is in SET {A, D, X, Y} AND TARIC	VALUE IS
	provides supplementary units	REQUIRED
	THEN	OR NOT
	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/supplementaryUnits =	ALLOWED



	I way	
	"R"	
	ELSE	
	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/supplementaryUnits =	
C0670	"N" IF /*/GoodsShipment/Consignment/TransportEquipment is PRESENT only once	VALUE IS
C0670	AND	REQUIRED
	/*/GoodsShipment/Consignment/TransportEquipment/containerIdentificationNu	REQUIRED
	mber is PRESENT	
	THEN /*/GoodsShipment/Consignment/TransportEquipment/GoodsReference =	
	"O"	
	ELSE /*/GoodsShipment/Consignment/TransportEquipment/GoodsReference =	
	"R";	
	IF /*/Consignment/TransportEquipment is PRESENT only once AND	
	/*/Consignment/TransportEquipment/containerIdentificationNumber is PRESENT	
	THEN /*/Consignment/TransportEquipment/GoodsReference = "O"	
	ELSE /*/Consignment/TransportEquipment/GoodsReference = "R"	
C0671	IF	VALUE IS NOT
	/*/GoodsShipment/Consignment/LocationOfGoods/EconomicOperator/identificati	ALLOWED
	onNumber is PRESENT OR	
	/*/GoodsShipment/Consignment/LocationOfGoods/authorisationNumber is	
	PRESENT	
	THEN /*/GoodsShipment/Consignment/LocationOfGoods/additionalIdentifier =	
	"0"	
	ELSE /*/GoodsShipment/Consignment/LocationOfGoods/additionalIdentifier =	
	"N";	
	IF /*/Consignment/LocationOfGoods/EconomicOperator/identificationNumber is	
	PRESENT OR /*/Consignment/LocationOfGoods/authorisationNumber is PRESENT THEN /*/Consignment/LocationOfGoods/additionalIdentifier = "O"	
	ELSE /*/Consignment/LocationOfGoods/additionalIdentifier = "N"	
C0672	IF /*/Consignment/TransportEquipment is PRESENT only once	
C0072	THEN /*/Consignment/TransportEquipment/GoodsReference = "O"	
	ELSE /*/Consignment/TransportEquipment/GoodsReference = "R"	
C0680	IF /CC583C/ExportOperation/enquiryInformationCode is in SET {1, 2}	
60000	THEN /CC583C/CustomsOfficeOfExitActual = "N"	
	ELSE	
	IF /CC583C/ExportOperation/enquiryInformationCode is EQUAL to '3'	
	THEN /CC583C/CustomsOfficeOfExitActual = "R"	
	ELSE /CC583C/CustomsOfficeOfExitActual = "O"	
C0681	IF /CC583C/ExportOperation/enquiryInformationCode is in SET {1, 2}	
	THEN /CC583C/ExitCarrier = "N"	
	ELSE /CC583C/ExitCarrier = "O"	
C0682	IF /CC583C/ExportOperation/enquiryInformationCode is EQUAL to '4'	
	THEN /CC583C/AlternativeEvidence = "R"	
	ELSE /CC583C/AlternativeEvidence = "N"	
C0683	IF /CC583C/ExportOperation/enquiryInformationCode is in SET {2, 3, 4}	
	THEN /CC583C/ExportOperation/exitDate = "R"	
	ELSE /CC583C/ExportOperation/exitDate = "N"	
C0684	IF /CC583C/AlternativeEvidence/type is in SET {11, 14, 15, 17}	
	THEN /CC583C/AlternativeEvidence/TransportDocument = "R"	



	ELSE /CC583C/AlternativeEvidence/TransportDocument = "N"	
C0685	IF /CC528C/ExportOperation/declarationAcceptanceDate is PRESENT THEN /CC560C/ExportOperation/MRN = "R" AND /CC560C/ExportOperation/LRN = "N"	VALUE IS REQUIRED OR NOT
	ELSE /CC560C/ExportOperation/MRN = "N" AND /CC560C/ExportOperation/LRN = "R"	ALLOWED
C0705	IF /CC190C/TransitOperation/AESCommunicationPurpose is EQUAL to '1' THEN /*/TransitOperation/LRN = "R" AND /*/TransitOperation/MRN = "N"	
	ELSE /*/TransitOperation/LRN = "N" AND /*/TransitOperation/MRN = "R"	
C0707	IF /CC190C/TransitOperation/AESCommunicationPurpose is in SET {2, 3} THEN /CC190C/TransitOperation/declarationAcceptanceDate = "R"	
	ELSE /CC190C/TransitOperation/declarationAcceptanceDate = "N"	
C0708	IF /CC190C/TransitOperation/AESCommunicationPurpose is EQUAL to '3'	
	THEN /CC190C/TransitOperation/amendmentAcceptanceDateAndTime = "R"	
60040	ELSE /CC190C/TransitOperation/amendmentAcceptanceDateAndTime = "N"	
C0810	IF /CD518C/GoodsShipment/Consignment/TransportEquipment/Seal is PRESENT OR	
	/CD501C/GoodsShipment/Consignment/TransportEquipment/Seal is PRESENT	
	OR	
	/CD503C/GoodsShipment/Consignment/TransportEquipment/Seal is PRESENT	
	THEN /*/ExitControlResult/stateOfSeals = "R"	
C0823	ELSE /*/ExitControlResult/stateOfSeals = "N" IF /*/GoodsShipment/Consignment/containerIndicator is PRESENT	VALUE IS
00020	THEN	REQUIRED
	IF /*/GoodsShipment/Consignment/containerIndicator is EQUAL to '1'	OR NOT
	THEN /*/GoodsShipment/Consignment/TransportEquipment = "R"	ALLOWED
	ELSE /*/GoodsShipment/Consignment/TransportEquipment = "O"	
C0824	ELSE /*/GoodsShipment/Consignment/TransportEquipment = "N" IF /CC513C/ExportOperation/declarationType is PRESENT	VALUE IS
C0024	THEN	REQUIRED
	IF /CC513C/ExportOperation/additionalDeclarationType is in SET {E, F}	
	THEN /CC511C/Consignment/containerIndicator is "N"	
	ELSE	
	IF /CC513C/Consignment/containerIndicator is PRESENT	
	THEN /CC511C/Consignment/containerIndicator is "O"	
	ELSE /CC511C/Consignment/containerIndicator is "R"	
	ELSE	
	IF /CC515C/ExportOperation/additionalDeclarationType is in SET {E, F}	
	THEN /CC511C/Consignment/containerIndicator is "N"	



	FICE	
	ELSE	
	IF /CC515C/Consignment/containerIndicator IS PRESENT	
	THEN /CC511C/Consignment/containerIndicator is "O"	
	ELSE /CC511C/Consignment/containerIndicator is "R"	
C0834	IF /*/GoodsShipment/Consignment/inlandModeOfTransport is NOT PRESENT THEN /*/GoodsShipment/Consignment/DepartureTransportMeans = "N" ELSE IF /*/ExportOperation/declarationType is EQUAL to 'EX' AND /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {21, 22} THEN IF /*/GoodsShipment/Consignment/inlandModeOfTransport is in SET {5,7} THEN /*/GoodsShipment/Consignment/DepartureTransportMeans = "N" ELSE /*/GoodsShipment/Consignment/DepartureTransportMeans = "O" ELSE IF /*/ExportOperation/declarationType is EQUAL to 'EX' AND /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {10, 11, 23, 31} THEN IF /*/GoodsShipment/Consignment/InlandModeOfTransport is in SET {5,7} THEN /*/GoodsShipment/Consignment/DepartureTransportMeans = "O" ELSE /*/GoodsShipment/Consignment/DepartureTransportMeans = "R" ELSE IF /*/ExportOperation/declarationType is EQUAL to 'CO' AND /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76, 77} THEN IF /*/GoodsShipment/Consignment/inlandModeOfTransport is in SET {5,7} THEN /*/GoodsShipment/Consignment/InlandModeOfTransport is in SET {5,7} THEN /*/GoodsShipment/Consignment/DepartureTransportMeans = "N" ELSE /*/GoodsShipment/Consignment/DepartureTransportMeans = "R" ELSE /*/GoodsShipment/Consignment/DepartureTransp	VALUE IS REQUIRED OR NOT ALLOWED
C0836	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F} THEN /*/GoodsShipment/Consignment/containerIndicator = "N" ELSE IF /*/ExportOperation/additionalDeclarationType is EQUAL to 'D' THEN /*/GoodsShipment/Consignment/containerIndicator = "O" ELSE /*/GoodsShipment/Consignment/containerIndicator = "R"	VALUE IS REQUIRED OR NOT ALLOWED
C0841	IF /*/CustomsOfficeOfExport/referenceNumber is NOT EQUAL to /CC515C/CustomsOfficeOfExit/referenceNumber THEN IF /CC515C/GoodsShipment/Consignment/inlandModeOfTransport is NOT	VALUE IS REQUIRED OR NOT ALLOWED
	PRESENT AND /CC513C/GoodsShipment/Consignment/inlandModeOfTransport is NOT PRESENT THEN /CC511C/GoodsShipment/Consignment/inlandModeOfTransport = "R" ELSE /CC511C/GoodsShipment/Consignment/inlandModeOfTransport = "O" ELSE /CC511C/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
C0842	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F} THEN /*/GoodsShipment/Consignment/containerIndicator = "N"	



	ELSE /*/GoodsShipment/Consignment/containerIndicator = "R"	
C0843	IF /*/CustomsOfficeOfPresentation/referenceNumber is PRESENT AND is NOT	VALUE IS
	EQUAL to	REQUIRED
	/*/CustomsOfficeOfExitDeclared/referenceNumber	OR NOT
	THEN	ALLOWED
	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F} OR	
	{/*/ExportOperation/declarationType is EQUAL to 'CO' AND	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is EQUAL to '10'}	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
	ELSE IF /*/ExportOperation/additionalDeclarationType is EQUAL to 'D' OR	
	/*/ExportOperation/declarationType is EQUAL to 'CO' AND	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76, 77}	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "O"	
	ELSE /*/GoodsShipment/Consignment/inlandModeOfTransport = "R"	
	ELSE IF /*/CustomsOfficeOfPresentation/referenceNumber is PRESENT AND is	
	EQUAL to	
	/*/CustomsOfficeOfExitDeclared/referenceNumber	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
	ELSE IF /*/CustomsOfficeOfPresentation/referenceNumber is NOT PRESENT AND	
	/*/CustomsOfficeOfExport/referenceNumber is NOT EQUAL to	
	/*/CustomsOfficeOfExitDeclared/referenceNumber	
	THEN	
	IF /*/ExportOperation/additionalDeclarationType is in SET {B, C, E, F} OR	
	{/*/ExportOperation/declarationType is EQUAL to 'CO' AND	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is EQUAL to '10'}	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
	ELSE IF /*/ExportOperation/additionalDeclarationType is EQUAL to 'D' OR	
	/*/ExportOperation/declarationType is EQUAL to 'CO' AND	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76, 77}	
	THEN /*/GoodsShipment/Consignment/inlandModeOfTransport = "O"	
	ELSE /*/GoodsShipment/Consignment/inlandModeOfTransport = "R"	
	ELSE /*/GoodsShipment/Consignment/inlandModeOfTransport = "N"	
C0845	IF /CC590C/PersonConfirmingExit/role is EQUAL to '2'	
C00+3	THEN /CC590C/PersonConfirmingExit/identificationNumber = "N"	
	AND /CC590C/PersonConfirmingExit/referenceNumber = "R"	
	ELSE /CC590C/PersonConfirmingExit/identificationNumber = "R"	
	AND /CC590C/PersonConfirmingExit/referenceNumber = "N"	
C0846	IF /*/GoodsShipment/GoodsItem/Consignor is PRESENT	VALUE IS NOT
C00+0	THEN /*/GoodsShipment/Consignment/Consignor = "N"	ALLOWED
	ELSE /*/GoodsShipment/Consignment/Consignor = "O"	ALLOWED
C0847	IF /*/GoodsShipment/Consignment/Consignor is PRESENT	VALUE IS NOT
CUU+/	THEN /*/GoodsShipment/GoodsItem/Consignor = "N"	ALLOWED
	ELSE/*/GoodsShipment/GoodsItem/Consignor = "O"	, ALLOVED
C0848	IF /*/Authorisation/type is in SET {C626, C627}	VALUE IS
CU040	THEN /*/Authorisation/holderOfAuthorisation = "R"	REQUIRED
	ELSE /*/Authorisation/holderOfAuthorisation = "O"	REQUIRED
C0849	IF /*/GoodsShipment/GoodsItem/PreviousDocument/type is in SET {C651, C658}	VALUE IS
CU045	THEN /*/GoodsShipment/GoodsItem/PreviousDocument/goodsItemNumber = "R"	REQUIRED
	ELSE /*/GoodsShipment/GoodsItem/PreviousDocument/goodsItemNumber = "O"	NEQUINED
	LESE / / GOOGSSHIPMENT/GOOGSREIN/PTEVIOUSDOCUMENT/googsreinwumber = O	1



C0850	IF.	VALUE IS
C0030		
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	REQUIRED
	axBase/amount is PRESENT	OR NOT
	THEN	ALLOWED
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	
	axBase/quantity = "N"	
	ELSE	
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	
	axBase/quantity = "R"	
C0852	IF	VALUE IS
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	REQUIRED
	axBase/quantity is PRESENT	OR NOT
	THEN	ALLOWED
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	
	axBase/amount = "N"	
	ELSE	
	/*/GoodsShipment/GoodsItem/Commodity/CalculationOfTaxes/DutiesAndTaxes/T	
	axBase/amount = "R"	
C0853	IF /*/Consignment/AdditionalInformation/code is EQUAL TO '30600' OR this	VALUE IS NOT
	/*/Consignment/ConsignmentItem/AdditionalInformation/code is EQUAL to	ALLOWED
	'30600'	
	THEN this /*/Consignment/ConsignmentItem/Consignee = "N"	
	ELSE	
	IF/*/Consignment/Consignee is PRESENT	
	THEN /*/Consignment/ConsignmentItem/Consignee = "N"	
	ELSE /*/Consignment/ConsignmentItem/Consignee = "O"	
C0860	IF /CC190C/TransitOperation/AESCommunicationPurpose> is EQUAL to '2'	
C0800	THEN /CC190C/Consignment = "N"	
	ELSE /CC190C/Consignment = "R"	
C00C1		
C0861	IF (/CC015C/Authorisation/type is EQUAL to 'C521' AND	
	/CC015C/Consignment/LocationOfGoods is PRESENT (either from CC015C or from	
	Authorisation record)) OR (/CC013C/Authorisation/type is EQUAL to 'C521' AND	
	/CC013C/Consignment/LocationOfGoods is PRESENT (either from CC013C or from	
	Authorisation record))	
	THEN /CC190C/Consignment/LocationOfGoods = "R"	
	ELSE /CC190C/Consignment/LocationOfGoods = "N"	
C0862	IF.	
	(/CC015C/Consignment/HouseConsignment/ConsignmentItem/PreviousDocument	
	/type is in SET {C651, C658}	
	OR	
	/CC013C/Consignment/HouseConsignment/ConsignmentItem/PreviousDocument/	
	type is in SET {C651, C658})	
	AND	
	(/CC015C/Consignment/HouseConsignment/ConsignmentItem/Commodity/Goods	
	Measure/supplementaryUnits is PRESENT	
	OR	
	/CC013C/Consignment/HouseConsignment/ConsignmentItem/Commodity/Goods	
	Measure/supplementaryUnits is PRESENT)	
	THEN	
		l .



		T
	/CC190C/Consignment/HouseConsignment/ConsignmentItem/Commodity/Goods	
	Measure/supplementaryUnits = "R"	
	ELSE	
	/CC190C/Consignment/HouseConsignment/ConsignmentItem/Commodity/Goods	
	Measure/supplementaryUnits = "N"	
C0864	IF /*/ExportOperation/transit is EQUAL to '1'	
	THEN at least one occurrence of /*/GoodsShipment/SupportingDocument = "R"	
	ELSE /*/GoodsShipment/SupportingDocument = "O"	
C0866	IF /*/ExportOperation/specificCircumstanceIndicator is EQUAL to 'A20'	VALUE IS
	THEN /*/Consignment/ConsignmentItem/Packaging = "N"	REQUIRED
	ELSE /*/Consignment/ConsignmentItem/Packaging = "R"	OR NOT
		ALLOWED
C0868	IF /*/Consignment/ConsignmentItem/Commodity/descriptionOfGoods is PRESENT	VALUE IS
	THEN /*/Consignment/ConsignmentItem/Commodity/CommodityCode = "O"	REQUIRED
	ELSE /*/Consignment/ConsignmentItem/Commodity/CommodityCode = "R"	OR NOT
	LESE 7 7 consignments consignment terms commountly continuously commountly continuously continuo	ALLOWED
C0869	IF TARIC demands providing additional code(s)	VALUE IS
C0003	THEN	REQUIRED
	/*/GoodsShipment/GoodsItem/Commodity/CommodityCode/TARICAdditionalCod	OR NOT
	e = "R"	ALLOWED
	ELSE	ALLOWED
	/*/GoodsShipment/GoodsItem/Commodity/CommodityCode/TARICAdditionalCod e = "N"	
C0871	E = IN	\/ALLIE IC
C08/1		VALUE IS
	/*/GoodsShipment/GoodsItem/Procedure/AdditionalProcedure/additionalProced	REQUIRED
	ure is PRESENT	
	THEN	
	IF the first digit of	
	/*/GoodsShipment/GoodsItem/Procedure/AdditionalProcedure/additionalProced	
	ure is EQUAL to 'E'	
	THEN /*/GoodsShipment/GoodsItem/Origin = "R"	
	ELSE /*/GoodsShipment/GoodsItem/Origin = "O"	
	ELSE /*/GoodsShipment/GoodsItem/Origin = "O"	
C0873	IF	VALUE IS
	/*/GoodsShipment/GoodsItem/Commodity/CommodityCode/combinedNomencla	REQUIRED
	tureCode is PRESENT	
	THEN	
	/*/GoodsShipment/GoodsItem/Commodity/CommodityCode/harmonizedSystemS	
	ubHeadingCode = "R"	
	ELSE	
	/*/GoodsShipment/GoodsItem/Commodity/CommodityCode/harmonizedSystemS	
	ubHeadingCode = "O"	
C0874	IF /*/Consignment/containerIndicator is EQUAL to '1'	
	THEN /*/Consignment/TransportEquipment = "R"	
	ELSE /*/Consignment/TransportEquipment = "N"	
C0880	IF /CC557C/ExportOperation/businessRejectionType is in SET {'570', '615'}	VALUE IS
	THEN /CC557C/ExportOperation/LRN = "R" AND /CC557C/ExportOperation/MRN =	REQUIRED
	"N"	OR NOT
	ELSE /CC557C/ExportOperation/MRN = "R" AND /CC557C/ExportOperation/LRN =	ALLOWED



	"N"	
C0890	IF /*/GoodsShipment/Consignment/modeOfTransportAtTheBorder is NOT PRESENT THEN /*/GoodsShipment/Consignment/ActiveBorderTransportMeans = "N ELSE IF /*/ExportOperation/declarationType is EQUAL to 'EX' AND /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {10, 11, 23, 31} THEN IF /*/GoodsShipment/Consignment/modeOfTransportAtTheBorder is in SET {2, 5, 7} THEN /*/GoodsShipment/Consignment/ActiveBorderTransportMeans = "O" ELSE /*/GoodsShipment/Consignment/ActiveBorderTransportMeans = "R" ELSE IF /*/ExportOperation/declarationType is EQUAL to 'CO' AND /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {76,77}	VALUE IS REQUIRED OR NOT ALLOWED
	THEN IF /*/GoodsShipment/Consignment/modeOfTransportAtTheBorder is in SET {5, 7} THEN /*/GoodsShipment/Consignment/ActiveBorderTransportMeans = "N" ELSE /*/GoodsShipment/Consignment/ActiveBorderTransportMeans = "R" ELSE /*/GoodsShipment/Consignment/ActiveBorderTransportMeans = "N"	
C0916	IF /*/GoodsShipment/GoodsItem/Commodity/CommodityCode/harmonizedSystemS ubHeadingCode is PRESENT THEN /*/GoodsShipment/GoodsItem/Commodity/CommodityCode/combinedNomencla tureCode = "R" ELSE	VALUE IS REQUIRED OR NOT ALLOWED
	/*/GoodsShipment/GoodsItem/Commodity/CommodityCode/combinedNomencla tureCode = "N"	
C0917	IF /*/CustomsOfficeofLodgement is PRESENT THEN /*/ExportOperation/storingFlag = "N" ELSE /*/ExportOperation/storingFlag = "R"	
E1102	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/GoodsShipment/Consignment/Consignee/Address/postcode AND /*/GoodsShipment/GoodsItem/Consignee/Address/postcode format shall be set to an9; IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/Declarant/Address/postcode format shall be set to an9; IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/Exporter/Address/postcode format shall be set to an9</tpenddate></decisive></tpenddate></decisive></tpenddate></decisive>	FORMAT ERROR
E1103	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/GoodsShipment/Consignment/DepartureTransportMeans/identificationNumbe r format shall be set to an27</tpenddate></decisive>	FORMAT ERROR
E1104	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/GoodsShipment/Consignment/Consignee/name AND</tpenddate></decisive>	FORMAT ERROR



	/*/GoodsShipment/Consignment/Consignee/Address/streetAndNumber AND	
	/*/GoodsShipment/GoodsItem/SupportingDocument/referenceNumber AND	
	/*/GoodsShipment/GoodsItem/TransportDocument/referenceNumber AND	
	/*/GoodsShipment/GoodsItem/Consignee/name AND	
	/*/GoodsShipment/GoodsItem/Consignee/Address/streetAndNumber AND	
	/*/GoodsShipment/GoodsItem/PreviousDocument/referenceNumber AND	
	/*/GoodsShipment/GoodsItem/AdditionalReference/referenceNumber AND	
	/*/Exporter/name AND	
	/*/Exporter/Address/streetAndNumber AND	
	/*/Declarant/name AND	
	/*/Declarant/Address/streetAndNumber AND	
	format shall be set to an35	
E1105	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	FORMAT ERROR
	THEN	
	/*/GoodsShipment/GoodsItem/Packaging/shippingMarks	
	format shall be set to an42	
E1106	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	FORMAT ERROR
L1100	THEN	TOMWIN EMMOR
	/*/GoodsShipment/GoodsItem/AdditionalInformation/text	
	format shall be set to an70	
E1107	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	FORMAT ERROR
LIIU/	THEN	TORWAT LIKKOK
	/*/GoodsShipment/GoodsItem/Commodity/descriptionOfGoods	
	format shall be set to an280	
F1100		CODMANT EDDOD
E1109	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN</tpenddate></decisive>	FORMAT ERROR
	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass AND	
	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/netMass AND	
	/*/GoodsShipment/Consignment/grossMass	
F4444	format shall be set to n11,3	FORMAT ERROR
E1111	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	FORMAT ERROR
	THEN	
	/*/GoodsShipment/GoodsItem/Packaging/numberOfPackages	
=1110	format shall be set to n5	5001117 50000
E1113	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	FORMAT ERROR
	THEN	
	/*/GoodsShipment/GoodsItem/statisticalValue	
	format shall be set to n15,2	
E1301	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	VALUE CANNOT
	THEN /*/GoodsShipment/PreviousDocument AND	BE USED
	/*/GoodsShipment/AdditionalInformation AND	
	/*/GoodsShipment/SupportingDocument AND	
	/*/GoodsShipment/AdditionalReference	
	shall not be used;	
	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN /CD518C/GoodsShipment/PreviousDocument AND	
	/CD518C/GoodsShipment/AdditionalReference	
	shall not be used;	
	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	



	·	
	THEN /*/GoodsShipment/GoodsItem/natureOfTransaction	
	shall not be used;	
	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN /*/Consignment/AdditionalInformation AND	
	/*/Consignment/SupportingDocument AND	
	/*/Consignment/AdditionalReference AND	
	/*/Consignment/PreviousDocument	
	shall not be used;	
	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	
	THEN /*/GoodsShipment/Consignment/TransportDocument	
	shall not be used	
E1401	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	MULTIPLICITY
	THEN	ERROR
	/*/GoodsShipment/GoodsItem/PreviousDocument	
	multiplicity shall be set to '9x'	
E1404	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	MULTIPLICITY
	THEN	ERROR
	/*/GoodsShipment/GoodsItem/Commodity/CommodityCode/TARICAdditionalCod	
	e	
	multiplicity shall be set to '2x'	
E1406	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	MULTIPLICITY
	THEN /*/GoodsShipment/GoodsItem/Procedure/AdditionalProcedure AND	ERROR
	/*/GoodsShipment/GoodsItem/Commodity/DangerousGoods	
	multiplicity shall be set to '1x';	
	IF <decisive date=""> is LESS than or EQUAL to <tpenddate>THEN</tpenddate></decisive>	
	/*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult	
	multiplicity shall be set to '1x'	
E1407	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	ALL INSTANCES
	THEN	MUST
	for each Goods Item, the cumulated number of all instances of	BE LESS THAN OR
	/*/GoodsShipment/GoodsItem/SupportingDocument AND	EQUAL TO 99X
	/*/GoodsShipment/GoodsItem/TransportDocument AND	EQUALIONA
	/*/GoodsShipment/GoodsItem/AdditionalReference	
	shall be LESS OR EQUAL to '99x'	
G0002	XSD contains a non-standard regular expression for this data item.	
G0002	Declaration goods item number is filled in with the item number of the goods	
00000	concerned as provided in <goods goods<="" item-declaration="" shipment-goods="" td=""><td></td></goods>	
	item number>.	
G0009	IF <functional code="" error.error=""> is in SET {90, 93}</functional>	
00003	THEN <functional error.error="" pointer=""> shall include the <export< td=""><td></td></export<></functional>	
	OPERATION.MRN> OR the <export number="" operation.manifest="" reference=""> of</export>	
	the rejected message	
	, ,	
	ELSE IF <functional code="" error.error=""> is in SET {92, 51, 52}</functional>	
	THEN <functional error.error="" pointer=""> shall include the <root element=""></root></functional>	
	ELSE <functional error.error="" pointer=""> shall include the XPath location to point</functional>	
60010	to the Data Item or the Data Group that caused the error.	
G0010	IF <functional code="" error="" error.=""> is EQUAL to '12'</functional>	
	THEN <functional error.error="" reason=""> shall point to the Codelist number</functional>	
	against which validation failed (ie CLxxx)	



	ELSE IF <functional code="" error.error=""> is in SET {13, 15}</functional>	
	THEN <functional error.error="" reason=""> shall point to the Condition/Technical</functional>	
	Rule number against which validation failed (ie Cxxxx or Txxxx),	
	ELSE IF <functional code="" error.error=""> is EQUAL to '14'</functional>	
	THEN <functional error.error="" reason=""> shall point to the Rules/Technical Rule</functional>	
	number against which validation failed (ie Rxxxx or Txxxx)	
	ELSE IF <functional code="" error.error=""> is EQUAL to '50'</functional>	
	THEN <functional error.error="" reason=""> shall point to the Transitional Constraint</functional>	
	number against which validation failed (ie Exxxx or Bxxxx),	
	ELSE IF <functional code="" error.error=""> is in SET {51, 52}</functional>	
	THEN the <functional error.error="" reason=""> shall be:</functional>	
	• 'ieCAvB' if exception is thrown by ieCA	
	• 'NCAvB' if exception is thrown by NTA/NECA,	
	ELSE the <functional error.error="" reason=""> shall have the value 'N/A'</functional>	
G0014	Eastern longitude and Northern latitude will use the optional '+' sign.	
	Western longitude and Southern latitude will use the '-' sign.	
G0021	The value '0' (zero) is a valid number in this Data Item, as per applicable XSD	
	pattern.	
G0033	The Data Item <authorisation.reference number=""> must be valid in</authorisation.reference>	
	CDMS/BOI/eBTI System.	
G0047	IF <cc551c-control result.code=""> is EQUAL to 'B1'</cc551c-control>	
	THEN <cc551c-goods reference="" shipment.additional=""> = "R" and is used to</cc551c-goods>	
	report these discrepancies	
	ELSE <cc551c-goods reference="" shipment.additional=""> = "N"</cc551c-goods>	
G0048	This data group shall be filled in if only different from the DECLARANT.	
G0051	When the <goods declaration="" goods="" item="" item.="" number="" shipment-goods=""></goods>	
	refers to Excise goods the Administrative Reference Code (ARC) and Unique Body	
	Reference (UBR) shall be recorded under this data group.	
G0057	Common Code List can be extended or restricted at national level. Purely national	
	codes are not included in Common Domain messages.	
G0059	Economic operators shall use only EORI number.	
G0060	Identification number shall resolve to an EU address.	
G0065	In case <export operation.security=""> is EQUAL to '2' AND sub-contracting is not</export>	
	involved then the data group must be filled in at goods item level or at header	
	level (if the same Consignee is used for all goods items).	
G0066	Centralised Clearance authorisations cannot be used in combination with <export< td=""><td></td></export<>	
	OPERATION.Additional declaration type> in SET {B, E}.	
G0067	Value 'Other' is not applicable (i.e. the value '18' is not valid) for <cc583c-< td=""><td></td></cc583c-<>	
	ALTERNATIVE EVIDENCE.Type>.	
G0087	- Declaration related authorisation(s) shall be recorded under <authorisation>;</authorisation>	
	- Goods Item related authorisation(s) shall be recorded under < GOODS SHIPMENT-	
	GOODS ITEM- AUTHORISATION>	
G0088	When <goods mode="" of="" shipment-consignment.inland="" transport=""> is EQUAL to</goods>	
	'3', the identification number of the trailer(s) must also be provided (where	
	applicable).	
G0089	Data item <authorisation.holder authorisation="" of=""> shall be filled in only in the</authorisation.holder>	
	case of an export declaration where there is a 'BTI' / 'BOI' authorisation for all	
	goods items.	



G0103 Each iteration of this data group shall include: -Either the transport equipment information for the containerised goods with seals OR without seals with reference to those goods; -OR the transport equipment information for the non containerised but sealed goods (e.g. goods carried by truck with seals) with reference to those goods;	
OR without seals with reference to those goods; -OR the transport equipment information for the non containerised but sealed goods (e.g. goods carried by truck with seals) with reference to those goods;	
-OR the transport equipment information for the non containerised but sealed goods (e.g. goods carried by truck with seals) with reference to those goods;	
goods (e.g. goods carried by truck with seals) with reference to those goods;	
Nights, the group contains along to an investigation of the light of the group of the description.	
Note: the non containerised and unsealed goods shall not be recorded under this	
data group.	
G0105 Information recorded under this data group is solely for communication purposes.	
No legal liabilities exist upon the specific contact person.	
G0106 If the recorded value in <goods item-commodity-<="" shipment-goods="" td=""><td></td></goods>	
COMMODITY CODE.Harmonized system sub-heading code> is contained in the	
MUST CN Code list then the corresponding Administrative Reference Code (ARC)	
and Unique Body Reference (UBR) must be recorded under <goods shipment-<="" td=""><td></td></goods>	
GOODS ITEM-PREVIOUS DOCUMENT.Reference number> and under <goods< td=""><td></td></goods<>	
SHIPMENT-GOODS ITEM-PREVIOUS DOCUMENT.Goods item number>	
respectively.	
G0107 -The gross mass generally must be indicated with a value greater than '0' (zero	
value).	
-The gross mass may only be given with a '0' (zero value) if different types of goods	
items of the declaration are packed together in such a way that it is impossible to	
determine the gross mass for each individual item.	
G0108 In the case of accompanying packaging of another goods item, its net mass must	
always be taken into account.	
G0112 If IMO ship identification number (type '10') exists for that ship, it must be used	
and the Name of the sea-going vessel (type '11') shall not be used.	
G0121 IF < DECLARANT > is different from < CONSIGNOR > AND < EXPORT	
OPERATION.Security> is EQUAL to '2'	
THEN <consignor> must be provided at goods item level</consignor>	
ELSE < CONSIGNOR > must be provided at header level (if it is the same Consignor	
for all goods items).	
G0122 IF < DECLARANT > is different from < Consignor >	
THEN <consignor> must be provided at goods item level</consignor>	
ELSE <consignor> must be provided at header level (if it is the same Consignor</consignor>	
for all goods items).	
G0128 The definitions in regard to Union procedure code, declaration type and additional	
declaration type, per Columns (table heading in Annex B to Delegated Regulation	
(EU) 2015/2446)) are the following:	
Column B1: The D.I. 'Declaration type' shall be equal to 'EX' and the D.I.	
'Requested procedure' shall be in set of values {10, 11, 23, 31}.	
Column B2: The D.I. 'Declaration type' shall be equal to 'EX' and the D.I.	
'Requested procedure' shall be in set of values {21, 22}.	
Column B3: The D.I. 'Declaration type' shall be equal to 'CO' and the D.I.	
'Requested procedure' shall be in set of values {76, 77}.	
Column B4: The D.I. 'Declaration type' shall be equal to 'CO' and the D.I.	
'Requested procedure' shall be equal to '10'.	
Column C1: The D.I. 'Additional declaration type' shall be in set of values {B, C, E,	
F}.	
G0132 The specific data item is of dual purpose: a) to be used so as to record the Unique	
Body Record (UBR) in case of excise goods; b) when excise goods are not	



	concerned the data item is to be used as a writing off in case	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is EQUAL to '31'	
	(i.e. re-export procedure).	
G0133	The specific data item is intended to be used in case	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is EQUAL to '31'	
	(i.e. re-export procedure).	<u> </u>
G0134	Member States may require this information only in cases when the rate of	
	exchange is fixed in advance by a contract between the parties concerned.	
G0144	The data in the IE corresponds always to the current (latest) version of the	
	Transit/Export/Summary declaration operation data. This means that it contains	
	the amended declaration data (if any) and/or the revised declaration data after a	
	control (if any) and completed with the departure/export control results and	
	entry/exit control results.	
G0155	Common Code List can be extended at national level with any of the values {R, U,	
	V, Z}. Codes {R, U, V, Z} shall not be included in Common Domain messages.	
G0168	This data group is only used when the message is sent in cases of CCE.	
G0187	The of the Special shall be registered if it is different from the Office of Export	
	(independently whether the special procedure is combined with CCE or Simplified	
	declaration (SD)).	
	IF CCE OR SD OR ANY Special procedure are not present then the SCO of the CCE or	
	SD or Special procedure is not needed in the export declaration.	<u> </u>
G0196	This data group must contain the full transport equipment details and not only	
	what is different compared to the data declared in the customs declaration.	<u> </u>
G0215	IF the goods are subject to a TARIC measure in relation with a valid <goods< td=""><td></td></goods<>	
	SHIPMENT-GOODS ITEM-COMMODITY.CUS code>, this Data Item can be used.	
G0216	This data group/data element can be provided to identify goods covered by a	
	notification for re-exportation of goods under temporary storage where part of the	
	goods covered by the declaration for temporary storage concerned are not re-	
00017	exported.	<u> </u>
G0217	From the originally received IE, only the D.G./D.I. in error are transmitted back to	
	the Trader, indicating whether the D.G./D.I. in question is (are) missing or	
66343	incorrect.	
G0218	This information is not to be provided when customs administrations calculate	
	duties on behalf of economic operators on the basis of information elsewhere in	
00040	the declaration. It is otherwise optional for the Member States.	
G0219	Declarations made in Member States which, during the transitional period for the	
	introduction of the euro, give the opportunity to economic operators to opt for the	
	use of the euro unit for the establishment of their customs declarations, must	
	include in this field an indicator of the currency unit, national unit or euro unit,	
C0220	Used. This data item can also be used to declare the national decument types the	
G0220	This data item can also be used to declare the national document types the	
C027C	Presentation Customs Office requested from the Declarant/Representative.	
G0276	National provisions of the MS where the PCO is located must be respected.	
G0300	The UN Number must be present if the commodity includes dangerous goods that	
C0224	are listed in the United Nations Dangerous Goods Code (UNDG).	
G0321	This Data Item can take the value '0' (zero) in the following cases:	
	a. a document number is missing (i.e. it shall not be filled in with a dummy	
	number);	1



	b. the length of a document number exceeds the allowed 70 characters (i.e. it shall	
	not be truncated).	
	A missing document reference number (due to the above or any other case) is not	
	a valid reason for the rejection of this message.	
G0330	IF discrepancies exist for this D.G./D.I.	
	THEN this D.G./ D.I.= "R" and is used to report these discrepancies	
	ELSE this D.G./ D.I. = "N"	
G0331	IF <cc590c-export at="" exist="" exit="" operation.discrepancies=""> is EQUAL to '1'</cc590c-export>	
	THEN this D.G./ D.I. = "R" and is used to report these discrepancies	
	ELSE this D.G./ D.I. = "N"	
G0332	IF <container indicator=""> is NOT PRESENT then data group <transport< td=""><td></td></transport<></container>	
	EQUIPMENT> shall NOT be PRESENT, too. <container indicator=""> functions as the</container>	
	governing data item for data group <transport equipment="">.</transport>	
G0334	When <goods document.type="" item-previous="" shipment-goods=""> is EQUAL to</goods>	
	'C658' then the fallback e-AD reference number shall be recorded.	
G0360	IF discrepancies have been found in one or more Data Groups or Data Items	
	OR	
	a new data element has been found during the control	
	THEN the D.G. / D.I.= "R" and is used to report these discrepancies	
	ELSE the D.G. / D.I. = "N".	
G0365	This data group is only used when the message is sent in cases of CCE to	
	the PCO, to be notified after the invalidation	
G0412	The simplified declaration's MRN (in case of a supplementary declaration) should	
	be registered on /GoodsShipment/Previous document/referenceNumber. The	
	respective value for /GoodsShipment/Previous document/type is 'NMRN'	
	(Declaration / notification MRN).	
G0500	The exact content of the CL326 (QualifierOfTheIdentification) is defined nationally,	
	considering -for example -that only in some NAs the value 'T' must only be used in	
	case "House number" and "Postcode" or only "Postcode" define an exact and	
	unique location.	
	Note: In case of Centralised Clearance the provisions of the MS where the PCO is	
	located must be respected, regarding the unique identification of a location.	
G0520	IF <ie507-export flag="" operation.storing=""> is EQUAL to '1'</ie507-export>	
	THEN the second iteration of this D.G. shall be used to declare the location where	
	the goods will be stored ONLY when different to the location where the goods will	
	be presented for control (i.e. declared in the first iteration).	
G0521	IF <ie507-export flag="" operation.storing=""> is EQUAL to '1'</ie507-export>	
	THEN in case where the storing location is different to the location where goods	
	shall be presented for control, value 'V' shall not be used for D.I. <ie507-export< td=""><td></td></ie507-export<>	
	OPERATION-GOODS SHIPMENT-CONSIGNMENT-LOCATION OF GOODS.Qualifier of	
	identification> in the second iteration of D.G. < IE507-EXPORT OPERATION-GOODS	
	SHIPMENT-CONSIGNMENT-LOCATION OF GOODS>.	
G0670	If all goods items are related a single container, the data group can be omitted.	
	Otherwise all the goods items related to this container (if present) must be	
	declared.	
	All the non-containerised goods items related to this seals information (if present)	
	must be declared as well.	
G0671	If all goods items are related to a single container, the data group can be omitted.	
	Otherwise all the goods items related to this container must be declared.	
_		



G0825	- Goods Shipment related information shall be recorded under	
	<goods document="" shipment-previous=""></goods>	
	<goods information="" shipment-additional=""></goods>	
	<goods document="" shipment-supporting=""></goods>	
	< GOODS SHIPMENT-CONSIGNMENT-TRANSPORT DOCUMENT>	
	<goods reference="" shipment-additional=""></goods>	
	<goods actor="" chain="" shipment-additional="" supply=""></goods>	
	- Goods Item related information shall be recorded under	
	<goods document="" item-previous="" shipment-goods=""></goods>	
	<goods information="" item-additional="" shipment-goods=""></goods>	
	<goods document="" item-supporting="" shipment-goods=""></goods>	
	< GOODS SHIPMENT- GOODS ITEM -TRANSPORT DOCUMENT>	
	<goods item-additional="" reference="" shipment-goods=""></goods>	
	<goods actor="" chain="" item-additional="" shipment-goods="" supply=""></goods>	
	- Consignment related information shall be recorded under	
	<consignment-previous document=""></consignment-previous>	
	<consignment-additional information=""></consignment-additional>	
	<consignment-supporting document=""></consignment-supporting>	
	<consignment-additional reference=""></consignment-additional>	
	<consignment-additional actor="" chain="" supply=""></consignment-additional>	
	- Consignment Item related information shall be recorded under	
	<consignment-consignment document="" item-previous=""></consignment-consignment>	
	<consignment-consignment information="" item-additional=""></consignment-consignment>	
	<consignment-consignment document="" item-supporting=""></consignment-consignment>	
	<consignment-consignment item-additional="" reference=""></consignment-consignment>	
	<consignment-consignment actor="" chain="" item-additional="" supply=""></consignment-consignment>	
G0860	This data group must be filled in if REPRESENTATIVE exists in the	
	preceding message that is received.	
G0868	The data recorded under this data group must be exactly the same as in the	
	respective data group of the preceding message that is received.	
G0878	The statistical value is expressed in the currency unit described in data element	
00070	'Internal Currency Unit' or in absence of such a code, in the currency of the MS	
	where the export formalities are completed, in accordance with the EU provisions	
	in force.	
G0989	This Data Group is inserted as transitional but without any transitional measure	
00303	applied to it. The Data Group is present in this message, in order to ensure	
	consistency of the structure across the lifecycle of the movements during the Transitional Period.	
	This Guideline aims to draw the attention on the potential need for Technical Rules for Transition (Exxxx) or Business Rules for Transition (B1xxx and B2xxx) as defined	
	, ,	
C0000	in the section "1. Introduction" of DDNxA APPENDIX Q2.	
G0999	The format is defined as 'n5', but the maximum value for AES is '999' as defined in	
D0007	the XSD pattern, taking into account the multiplicity '999x' of the Data Group.	
R0007	Each /*/GoodsShipment/GoodsItem/declarationGoodsItemNumber is unique	
	throughout the declaration. The items shall be numbered in a sequential fashion,	
	starting from '1' for the first item and incrementing the numbering by '1' for each	
D0000	following item.	
R0008	/*/correlationIdentifier shall be EQUAL to the /*/messageIdentification of the	
	request/rejected message.	



R0026	/CC191C/TransitOperation/ must be EQUAL to /CC190C/TransitOperation/ AND	
	/CC191C/CustomsOfficeOfExit/ must be EQUAL to /CC190C/CustomsOfficeOfExit/ AND	
	/CC191C/CustomsOfficeOfDeparture/ must be EQUAL to	
	/CC190C/CustomsOfficeOfDeparture/	
R0028	The structure of this Data Item is validated as specified in DDCOM. The check digit	
	must follow the ISO 6346 standard.	
R0054	IF one of more discrepancy(ies) is(are) identified in this Data Group THEN:	GOODS ITEN
	- 'Declaration goods item number' / 'Sequence number' is always used	NUMBER
	- Excess goods items shall not be reported.	SEQUENCING
	Numbering of items:	ERROR
	IF one of more discrepancy(ies) is(are) identified in this Data Group THEN:	
	- the 'Declaration goods item number'/'Sequence number' shall be unique AND	
	EQUAL to the 'Declaration goods item number'/'Sequence number'	
	of the Data Group defined in the declaration for which the discrepancy is	
	reported;	
	IF a new Data Group is identified THEN:	
	- 'Sequence number' shall be unique AND EQUAL to the number of the last	
	'Sequence number' of the Data Group + 1 AND the rest of the Data Items	
	contained in the Data Group and all sub-Data Groups shall be filled in, allowing the	
	optionality constraints defined in the declaration.	
	IF a Goods Item is missing OR the information related to a Data Group is missing	
	THEN:	
	- 'Declaration goods item number'/'Sequence number' shall be unique AND	
	EQUAL to the 'Declaration goods item number'/'Sequence number' (as defined in	
	the declaration, but missing during control) and the rest of the Data Items	
	contained in the Data Group and all sub–Data Groups shall not be filled in.	
	Note: The 'Declaration goods item number'/'Sequence number' is unique if the	
	XPath (without the last DG's predicate, i.e. the last DG's occurrence number	
	included in "[]") and the value of the 'Declaration goods item number'/'Sequence	
R0076	number' are unique in this message.	
KUU76	IF /*/CoodsShipmont/Consignment/ActivePorderTransportMeans/typeofldentificati	
	/*/GoodsShipment/Consignment/ActiveBorderTransportMeans/typeofIdentificati	
	on is in SET {10,21,30,40,41,80} THEN	
	/*/GoodsShipment/Consignment/ActiveBorderTransportMeans/IdentificationNum	
	ber shall not contain lowercase letters.	
R0082	IF /CD540C/ExportOperation/SCODecisionOrRecommendation is EQUAL to '0'	
	THEN /CD540C/ControlResult/status is in SET {0, 1}	
	ELSE IF /CD540C/ExportOperation/SCODecisionOrRecommendation is EQUAL to '2'	
	THEN /CD540C/ControlResult/status is EQUAL to '1'	
	ELSE /CD540C/ControlResult/status is in SET CL382	
R0201	IF /*/GoodsShipment/GoodsItem/Consignor is PRESENT for all	AT LEAST ONE
	/*/GoodsShipment/GoodsItem	OCCURANCE
	THEN at least one occurrence of /*/GoodsShipment/GoodsItem/Consignor must be	MUST
	different from the others;	BE DIFFERENT
	IF /*/Consignment/ConsignmentItem/Consignor is PRESENT for all /*/Consignment/ConsignmentItem	FROM THE
	THEN at least one occurrence of /*/Consignment/ConsignmentItem/Consignor must be	OTHERS
	different from the others;	



*/*GoodsShipment/Coosistem		IF /*/ GoodsShipment/GoodsItem/Consignee is PRESENT for all	
different from the others; F /*/Consignment/ConsignmentItem/Consignee is PRESENT for all /*/Consignment/ConsignmentItem/ConsignmentItem/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Condistem/TransportCharges is PRESENT for all /*/CoodsShipment/GoodsItem/TransportCharges is PRESENT for all /*/CoodsShipment/ConsignmentItem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentItem/TransportCharges must be different from the others; F /*/Consignment/GoodsItem/CountryOfExport is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfExport is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfDestination must be different from the others; F /*/CoodsShipment/GoodsItem/CountryOfDestination must be different from the others; F /*/CoodsShipment/GoodsItem/CountryOfDestination must be different from the others; F /*/CoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfDestination must be different from the others; F /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all		/*/GoodsShipment/GoodsItem	
different from the others; F /*/Consignment/ConsignmentItem/Consignee is PRESENT for all /*/Consignment/ConsignmentItem/ConsignmentItem/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Condistem/TransportCharges is PRESENT for all /*/CoodsShipment/GoodsItem/TransportCharges is PRESENT for all /*/CoodsShipment/ConsignmentItem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentItem/TransportCharges must be different from the others; F /*/Consignment/GoodsItem/CountryOfExport is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfExport is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfDestination must be different from the others; F /*/CoodsShipment/GoodsItem/CountryOfDestination must be different from the others; F /*/CoodsShipment/GoodsItem/CountryOfDestination must be different from the others; F /*/CoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/CoodsShipment/GoodsItem/CountryOfDestination must be different from the others; F /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all		THEN at least one occurrence of /*/GoodsShipment/GoodsItem/Consignee must be	
IF /*/Consignment/ConsignmentItem/Consignee is PRESENT for all /*/Consignment/Consignment/ConsignmentItem/Consignment/Consignment/Consignment		•	
/*/Consignment/Consignmenttem THEN at least one occurrence of /*/Consignment/Consignmenttem/Consignee must be different from the others, IF /*/ GoodsShipment/GoodsItem/TransportCharges is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/TransportCharges must be different from the others; IF /*/Consignment/ConsignmentItem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentItem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentItem/TransportCharges must be different from the others; IF /*/ GoodsShipment/GoodsItem/countryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/countryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfDestination must be different from the others; IF /*/ GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfDestination must be different from the others; IF /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenc		· · · · · · · · · · · · · · · · · · ·	
THEN at least one occurrence of /*/Consignment/Consignment/tem/Consignee must be different from the others; IF /*/ GoodsShipment/Goodsttem/TransportCharges is PRESENT for all /*/GoodsShipment/Consignmentlem/TransportCharges is PRESENT for all /*/Consignment/Consignmentlem/TransportCharges must be different from the others; IF /*/ GoodsShipment/Goodsttem/countryOfExport is PRESENT for all /*/GoodsShipment/Goodsttem/CountryOfExport is PRESENT for all /*/GoodsShipment/Goodsttem/CountryOfExport must be different from the others; IF /*/ GoodsShipment/Goodsttem/CountryOfDestination is PRESENT for all /*/GoodsShipment/Goodsttem/CountryOfDestination must be different from the others; IF /*/ GoodsShipment/Goodsttem/CountryOfDestination is PRESENT for all /*/GoodsShipment/Goodsttem/CountryOfDestination must be different from the others; IF /*/ GoodsShipment/Goodsttem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/Goodsttem/referenceNumberUCR must be different from the others; IF /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/Goodstem/retureOfTransaction is PRESENT for all /*/GoodsShipment/Goodstem/retureOfTransaction is PRESENT for all /*/GoodsS			
different from the others; IF /*/ GoodsShipment/Goodsttem/TransportCharges is PRESENT for all /*/GoodsShipment/Goodsttem/ THEN at least one occurrence of /*/ GoodsShipment/Goodsttem/TransportCharges must be different from the others; IF /*/Consignment/ConsignmentIttem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentIttem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentIttem/TransportCharges must be different from the others; IF /*/ GoodsShipment/Goodsttem/countryOfExport is PRESENT for all /*/GoodsShipment/Goodsttem/countryOfExport is PRESENT for all /*/GoodsShipment/Goodsttem/countryOfDestination is PRESENT for all /*/GoodsShipment/Goodsttem/countryOfDestination is PRESENT for all /*/GoodsShipment/Goodsttem/CountryOfDestination is PRESENT for all /*/GoodsShipment/Goodsttem/ THEN at least one occurrence of /*/ GoodsShipment/Goodsttem/countryOfDestination must be different from the others; IF /*/ GoodShipment/Goodsttem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/Goodsttem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentIttem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/ THEN at least one occurrence of /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodShipment/Goodsttem/natureOfTransaction is PRESENT for all /*/Consignment/Goodsttem/natureOfTransaction is PRESENT for all /*/Consignment/Goodsttem/natureOfTransaction must be different from the others RO202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: https://consignment/Goodsttem/packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data			
IF /* GoodsShipment/GoodsItem			
/*/GoodsShipment/GoodsItem		· · · · · · · · · · · · · · · · · · ·	
THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/TransportCharges must be different from the others; IF /*/Consignment/ConsignmentItem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentItem THEN at least one occurrence of /*Consignment/ConsignmentItem/TransportCharges must be different from the others; IF /*/ GoodsShipment/GoodsItem/countryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/CountryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/CountryOfExport must be different from the others; IF /*/ GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/CountryOfDestination must be different from the others; IF /*/ GoodsShipment/GoodsItem/cerenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/GoodsShipment/GoodsItem/Transaction is PRESENT for all /*/CoodsShipment/GoodsItem/atureOfTransaction is PRESENT for all /*/CoodsShipment/GoodsItem/atureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/atureOfTransaction must be different from the others; IF /*/GoodsShipment/GoodsItem/atureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/atureOfTransaction must be different from the others IF /*/GoodsShipment/GoodsItem/atureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/atureOfTransaction must be different from the others IF /*/GoodsShipment			
be different from the others; IF /*/Consignment/ConsignmentItem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentItem/TransportCharges must be different from the others; IF /*/GoodsShipment/GoodsItem/countryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/countryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/countryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR in Item is present in the interval i			
IF /*/Consignment/ConsignmentItem/TransportCharges is PRESENT for all /*/Consignment/ConsignmentItem/TransportCharges must be different from the others; IF /*/ GoodsShipment/GoodsItem/countryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/ THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/ THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/ THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/countryOfDestination must be different from the others; IF /* GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /* GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/GoodsItem/referenceNumberUCR is PRESENT for all /*/Consignment/GoodsItem/referenceNumberUCR is PRESENT for all /*/Consignment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment(Consignment)/*/Consignment/Consignment(Co		•	
/*/Consignment/ConsignmentItem THEN at least one occurrence of /*/Consignment/ConsignmentItem/TransportCharges must be different from the others; IF /*/GoodShipment/GoodsItem/CountryOfExport is PRESENT for all /*/GoodShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfExport must be different from the others; IF /*/GoodShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodShipment/GoodsItem/countryOfDestination must be different from the others; IF /*/GoodShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR in PRESENT for all /*/Consignment/GoodsItem/Packaging/numberUCR is PRESENT for all /*/GoodShipment/GoodsItem/Packaging/numberUCR is PRESENT for all /*/GoodShipment/GoodsItem/Packaging/numberUCR in PRESENT for all /*/GoodShipment/GoodsItem/Packaging/numberUCR is PRESENT for all /*/GoodShipment/GoodsItem/Packaging/numberUCR in Packaging with a value not equal to "O" (zero value) in the data item /*/GoodShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to "O" (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to "O" (zero value) THEN no further data group /*/ConsignmentItem/Packaging/numberOfPackages is secified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is secified for U" (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is secified for Value not equal to "O" (zero value) in the da			
THEN at least one occurrence of */*Consignment/ConsignmentIttem/TransportCharges must be different from the others; IF */* GoodsShipment/GoodsItem/CountryOfExport is PRESENT for all /*/GoodsShipment/GoodsItem/CountryOfExport must be different from the others; IF */*GoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/CountryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/TeerenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/TeerenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF */**CondsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction must be different from the others: IF */*Consignment/Consignment/GoodsItem/natureOfTransaction must be different from the others IF */*Consignment/Consignment/GoodsItem/natureOfTransaction must be different from the others IF */*Consignment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN at least one occurrence of */*GoodsShipment/GoodsItem/Packaging with a value not equal to '0'' (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*Consignment/Consignment/Packaging with a value not equal to '0'' (zero value) in the data item /*/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Consignment/Cons			
must be different from the others; IF /* GoodsShipment/Goodsitem/CountryOfExport is PRESENT for all /* (GoodsShipment/Goodsitem) THEN at least one occurrence of /* / GoodsShipment/Goodsitem/countryOfExport must be different from the others; IF /* (GoodsShipment/Goodsitem) THEN at least one occurrence of /* / GoodsShipment/Goodsitem/countryOfDestination is PRESENT for all /* (GoodsShipment/Goodsitem) THEN at least one occurrence of /* / GoodsShipment/Goodsitem/countryOfDestination must be different from the others; IF /* (GoodsShipment/Goodsitem) THEN at least one occurrence of /* (GoodsShipment/Goodsitem/referenceNumberUCR is PRESENT for all /* (GoodsShipment/ConsignmentItem) THEN at least one occurrence of /* (GoodsShipment/Goodsitem/referenceNumberUCR is PRESENT for all /* (Consignment/ConsignmentItem) THEN at least one occurrence of /* (GoodsShipment/ConsignmentItem) THEN at least one occurrence of /* (GoodsShipment/ConsignmentItem) THEN at least one occurrence of /* (GoodsShipment/Goodsitem/natureOfTransaction is PRESENT for all /* (GoodsShipment/Goodsitem) THEN at least one occurrence of /* (GoodsShipment/Goodsitem/natureOfTransaction must be different from the others) R0202 IF / (CSOOdsShipment/Goodsitem) THEN at least one occurrence of /* (GoodsShipment/Goodsitem/natureOfTransaction must be different from the others) R0219 IF / (GoodsShipment/Goodsitem) THEN on further data group /* (GoodsShipment/Goodsitem) THEN no further data group /* (GoodsShipment/Goodsitem) THEN no further data group /* (GoodsShipment/Goodsitem) THEN no further data group /* (GoodsShipment/ConsignmentItem) THEN no further data group /* (Terro value) in the data item /* (GoodsShipment/Consignment) THEN no further data group /* (Terro value) in the data item /* (Consignment/Consignment) THEN of urther data group /* (Terro value) in the data item /* (Consignment/Consignment) THEN of urther data group /* (Terro value) in the data item /* (Consignment/Consignment) THEN of urther data group /* (Terro value) in t			
IF /*/ GoodsShipment/Goodsitem/countryOfExport is PRESENT for all /*/GoodsShipment/Goodsitem THEN at least one occurrence of /*/ GoodsShipment/Goodsitem/countryOfDestination is PRESENT for all /*/GoodsShipment/Goodsitem/countryOfDestination is PRESENT for all /*/GoodsShipment/Goodsitem THEN at least one occurrence of /*/ GoodsShipment/Goodsitem/countryOfDestination must be different from the others;			
/*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfExport must be different from the others; IF /*/ GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfDestination must be different from the others; IF /*/ GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /*/CoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/ConsignmentUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern:		·	
THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfExport must be different from the others; IF /*/ GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem/reference of /*/ GoodsShipment/GoodsItem/countryOfDestination must be different from the others; IF /*/ GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for this data group /*/ConsignmentItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for this data group /*/Consignment/Consignment/Consignment/Consignment/Consignment			
different from the others; IF /*/ GoodsShipment/GoodsItem/countryOfDestination is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfDestination must be different from the others; IF /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem THEN at least one occurrence of /*/ GoodsShipment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/atureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to '0'' (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to '0'' (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for this data group /*/ConsignmentItem/Packaging/numberOfPackages is specified for this data group /*/ConsignmentItem/Packaging/numberOfPackages is specified for this data group /*/ConsignmentItem/Packaging/numberOfPackages is specified for '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Pac		· ·	
IF /*/ GoodsShipment/GoodsItem/			
/*/GoodsShipment/GoodsItem THEN at least one occurrence of /* / GoodsShipment/GoodsItem/countryOfDestination must be different from the others; IF /* GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /* / GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /* (Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /* (Consignment/ConsignmentItem THEN at least one occurrence of /* / ConsignmentItem/referenceNumberUCR must be different from the others; IF /* (GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /* /* (GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /* /* (GoodsShipment/GoodsItem) THEN at least one occurrence of /* / GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF / CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: 		· · · · · · · · · · · · · · · · · · ·	
THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/countryOfDestination must be different from the others; IF /*/ GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem/ THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem THEN at least one occurrence of /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <xs:pattern mailto:xs:spattern="" value="[A-Z]{2}{\x21-\x7E}{\x1.15}"></xs:pattern> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for this data group /*/ConsignmentItem/Packaging/numberOfPackages is specified for			
IF /*/GoodsShipment/GoodsItem/referenceNumberUCR is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem THEN at least one occurrence of /*/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CCS90C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <a fa-z]{2}{\x21-\x7e}{1,15}"="" href="mailto:xxs:pattern value="> R0219 IF /*GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for			
/*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /*/Consignment/ConsignmentIttem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem THEN at least one occurrence of /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <xs:pattern value="[A-Z]{2}\[\x21-\x7E\{1,15\}"></xs:pattern> R0219 IF /*GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		· ·	
THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/referenceNumberUCR must be different from the others; IF /*/Consignment/ConsignmentIttem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentIttem THEN at least one occurrence of /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <a [a-z]{2}[\x21-\x75]\{1,15}"="" href="mailto:xxs:pattern value="> F /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for data value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for data value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for data value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for data value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for data value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified		· ·	
must be different from the others; IF /*/Consignment/ConsignmentIttem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentIttem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentIttem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <xs:pattern value="[A-Z]{2}{\x21-\x7E}{1,15}"></xs:pattern> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/ConsignmentItem/Packaging/numberOfPackages with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for			
IF /*/Consignment/ConsignmentItem/referenceNumberUCR is PRESENT for all /*/Consignment/ConsignmentItem THEN at least one occurrence of /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <a [a-z]{2}[\x21-\x7e]{1,15}"="" href="mailto:xxs:pattern value="> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		·	
/*/Consignment/ConsignmentItem THEN at least one occurrence of /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <pre> <pre> <pre> <pre> <pre> xs:pattern value="[A-Z]{2}{\x21-\x7E}{1,15}"/></pre> </pre> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for</pre></pre></pre>			
THEN at least one occurrence of /*/Consignment/ConsignmentItem/referenceNumberUCR must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern:			
must be different from the others; IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <a [a-z]{2}[\x21-\x7e]{1,15}"="" href="mailto:xxs:pattern value="> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for			
IF /*/ GoodsShipment/GoodsItem/natureOfTransaction is PRESENT for all /*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> </pre> </pre> <pre> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for</pre></pre></pre></pre></pre></pre></pre>			
/*/GoodsShipment/GoodsItem THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <xs:pattern value="[A-Z]{2}{\x21-\x7E}{1,15}"></xs:pattern> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		· ·	
THEN at least one occurrence of /*/ GoodsShipment/GoodsItem/natureOfTransaction must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <xs:pattern value="[A-Z]{2}[\x21-\x7E]{1,15}"></xs:pattern> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		· ·	
must be different from the others R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern: <xs:pattern value="[A-Z]{2}[\x21-\x7E]{1,15}"></xs:pattern> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		· ·	
R0202 IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN shall be used. The EORI/TCUIN values should comply with the following pattern:			
shall be used. The EORI/TCUIN values should comply with the following pattern: <xs:pattern value="[A-Z]{2}[\x21-\x7E]{1,15}"></xs:pattern> R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for			
The EORI/TCUIN values should comply with the following pattern: <pre></pre>	R0202	IF /CC590C/PersonConfirmingExit/role is EQUAL to '1' THEN a valid EORI or TCUIN	
<xs:pattern value="[A-Z]{2}[\x21-\x7E]{1,15}"></xs:pattern> IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		shall be used.	
R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		The EORI/TCUIN values should comply with the following pattern:	
R0219 IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		<pre><xs:pattern value="[A-Z]{2}[\x21-\x7E]{1.15}"></xs:pattern></pre>	
(zero value) THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for	R0219		
THEN no further data group /*/GoodsShipment/GoodsItem/Packaging with a value not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for	110213		
not equal to "0" (zero value) in the data item /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		1 ` '	
/*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is specified for this data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for			
data group /*/GoodsShipment/GoodsItem; IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		· · · · · · · · · · · · · · · · · · ·	
IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for			
'0' (zero value) THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		data group /*/GoodsShipment/GoodsItem;	
THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to	
THEN no further data group /*/Consignment/ConsignmentItem/Packaging with a value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for		'0' (zero value)	
value not equal to "0" (zero value) in the data item /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for			
/*/Consignment/ConsignmentItem/Packaging/numberOfPackages is specified for			
TOOK DATA VICIODA A A CONSIGNOPOLA CONSIGNOPOLA POR			
this data group / / Consignment/ Consignmentitem.		this data group / */Consignment/Consignmentitem.	



R0220	IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0'	
	(zero value)	
	THEN /*/GoodsShipment/GoodsItem/Packaging/typeOfPackages shall not be in	
	SET CL182 for this data group /*/GoodsShipment/GoodsItem;	
	IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to '0' (zero value)	
	THEN /*/Consignment/ConsignmentItem/Packaging/typeOfPackages shall not be	
	in SET CL182 for this data group /*/Consignment/ConsignmentItem.	
R0221	IF there is at least one goods item with value not EQUAL to zero for	
NOZZI	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass	
	THEN for the rest of the goods items the zero value can be indicated for	
	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass;	
	, , , , , , , , , , , , , , , , , , , ,	
	IF there is at least one goods item with value not EQUAL to zero for	
	/*/Consignment/ConsignmentItem/Commodity/GoodsMeasure/grossMass	
	THEN for the rest of the goods items the zero value can be indicated for	
	/*/Consignment/ConsignmentItem/Commodity/GoodsMeasure/grossMass.	
R0222	IF the zero value is recorded for a specific goods item for	GROSS MASS
	/*/GoodsShipment/GoodsItem/Packaging/numberOfPackages	INCORRECT
	THEN /*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass> is	VALUE
	EQUAL to '0' (zero value);	
	IF the zero value is recorded for a specific goods item for	
	/*/Consignment/ConsignmentItem/Packaging/numberOfPackages	
	THEN /*/Consignment/ConsignmentItem/Commodity/GoodsMeasure/grossMass	
2000	is EQUAL to '0' (zero value).	
R0223	IF /*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass is	NET MASS
	GREATER THAN '0' (zero value)	INCORRECT
	THEN /*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/netMass must be LESS THAN OR EQUAL to	VALUE
	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass	
R0224	The sum of /*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass	GROSS MASS
110224	for all goods items must not be less than the sum of	INCORRECT
	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/netMass for all goods	VALUE
	items.	
R0364	IF /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages is EQUAL to '0'	FIELD MUST
	THEN at least one other /*/GoodsShipment/GoodsItem must exist with (the same	EXISTS
	/*/GoodsShipment/GoodsItem/Packaging/Packaging/shippingMarks AND	WITH PROPER
	with /*/GoodsShipment/GoodsItem/Packaging/numberOfPackages having a value	VALUES
	GREATER than '0');	
	IF /*/Consignment/ConsignmentItem/Packaging/numberOfPackages is EQUAL to	
	'0'	
	THEN at least one other /*/Consignment/ConsignmentItem must exist with (the	
	same /*/Consignment/ConsignmentItem/Packaging/Packaging/shippingMarks	
	AND	
	with /*/Consignment/ConsignmentItem/Packaging/numberOfPackages having a	
	value GREATER than '0');	
	IF /CC547C/ManifestItem/TransportDocumentData/numberOfPackages is EQUAL	
	to '0'	
	THEN at least one other /CC547C/ManifestItem/TransportDocumentData must	



	exist with (the same	
	/CC547C/ManifestItem/TransportDocumentData/shippingMarks AND	
	with /CC547C/ManifestItem/TransportDocumentData/numberOfPackages having	
	a value GREATER than '0')	
R0407	IF /CC515C/ExportOperation/declarationType is EQUAL to 'CO' THEN	
	IF /CC515C/GoodsShipment/GoodsItem/requestedProcedure is EQUAL to '10'	
	THEN the 17th character of MRN is EQUAL to 'E'	
	ELSE the 17th character of MRN is EQUAL to 'A'	
	ELSE	
	IF /*/ExportOperation/security is EQUAL to '0'	
	THEN the 17th character of MRN is EQUAL to 'A'	
	ELSE the 17th character of MRN is EQUAL to 'B'	
R0408	The 17th character of MRN must be 'C'.	
R0409	The 17th character of MRN must be 'D'.	
R0414	When /*/GoodsShipment/GoodsItem/PreviousDocument/type is EQUAL to 'C651'	ARC IS MISSING
	the Administrative Reference Code (ARC) shall be recorded in this field.	
R0417	IF /*/GoodsShipment/GoodsItem/PreviousDocument/type is in SET {C651, C658}	HARMONIZED
	THEN the value recorded for the same 'Declaration goods item number' in	SYSTEM
	/*/GoodsShipment/GoodsItem/harmonizedSystemSubHeadingCode must be	SUBHEADING
	contained in the MUST CN Code list.	CODE
		INCORRECT
		VALUE
R0448	IF /*/Consignment/TransportEquipment/containerIdentificationNumber is NOT	
	PRESENT	
	THEN the value '0' is not valid for	
	/*/Consignment/TransportEquipment/numberOfSeals;	
	IF	
	/*/GoodsShipment/Consignment/TransportEquipment/containerIdentificationNu	
	mber is NOT PRESENT	
	THEN the value '0' is not valid for	
DO440	/*/GoodsShipment/Consignment/TransportEquipment/numberOfSeals	
R0449	The value of /CC042C/ExportOperation/MRN must be one of the values	
	/CC191C/AESResults/ExportOperation/MRN included in the last message 'Transit Presentation Notification Response' (CC191C) received from AES by NCTS	
R0471	Only value '2' is valid for this field.	INCORRET VALUE
R0471	IF /*/GoodsShipment/Consignment/inlandModeOfTransport is in SET {1,2,3,4,8}	TYPE OF
110472	THEN the first digit of	INDENTIFICATION
	/*/GoodsShipment/Consignment/DepartureTransportMeans/typeOfIdentification	MISMATCH
	shall be EQUAL to /*/GoodsShipment/Consignment/inlandModeOfTransport	WIISIVIATETT
R0473	IF	MUST NOT
110473	/*/GoodsShipment/Consignment/DepartureTransportMeans/typeofIdentification	CONTAIN
	is in SET {10,20,21,30,31,40,41,80}	LOWERCASE
	THEN	LETTERS
	/*/GoodsShipment/Consignment/DepartureTransportMeans/IdentificationNumbe	
	r shall not contain lowercase letters	
R0475	IF /*/GoodsShipment/Consignment/modeOfTransportAtTheBorder is in SET	
	{1,2,3,4,8}	
	THEN the first digit of	



	/*/GoodsShipment/Consignment/ActiveBorderTransportMeans/typeOfIdentificati	
	on	
	shall be EQUAL to	
D0E31	/*/GoodsShipment/Consignment/modeOfTransportAtTheBorder	
R0521	IF /CC525C/GoodsShipment/Consignment/LocationOfGoods/storingFlag is EQUAL to '1'	
	THEN	
	/CC525C/GoodsShipment/Consignment/LocationOfGoods/qualifierOfTheIdentifica tion is	
R0551	NOT EQUAL to 'V' IF at least one iteration of /CC191C/AESResults/ExportOperation/resultIndicator is	
K0331	in SET {N1, N2, N3, N4}	
DOE33	THEN /CC191C/AESResults/globalValidationResponse is EQUAL to '0'	
R0522	The multiplicity of this D.G. shall be set up to 2x.	NOTIFICATION
R0559	IF /CC560C/ExportOperation/LRN> is PRESENT	NOTIFICATION
	THEN /CC560C/ExportOperation/notificationType is EQUAL to '2'	TYPE
		MUST BE EQUAL
DOECO	(Declaration goods there we had I/Convey a record to all to a least of	TO '2'
R0560	'Declaration goods item number'/'Sequence number' is always used.	GOODS ITEN
	Numbering of items:	NUMBER
	- In case of any difference being found in a Data Group, the 'Declaration goods	SEQUENCING
	item	ERROR
	number'/'Sequence number' should be equal to the corresponding Goods	
	item/Data Group numbering	
	defined in the declaration.	
	IF one of more discrepancy(ies) is(are) identified in this Data Group THEN:	
	- 'Declaration goods item number' / 'Sequence number' is always used	
	- Excess goods items can be reported.	
	Numbering of items:	
	IF one of more discrepancy(ies) is(are) identified in this Data Group THEN: - the 'Declaration goods item number'/'Sequence number' shall be unique AND	
	· · ·	
	EQUAL to the 'Declaration goods item number'/'Sequence number'	
	of the Data Group defined in the declaration for which the discrepancy is reported; IF a new Data Group/Goods Item is identified THEN:	
	• •	
	- the 'Declaration goods item number'/'Sequence number' shall be unique AND	
	EQUAL to the number of the last 'Sequence number' of the Data Group + 1 AND	
	the rest of the Data Items contained in the Data Group and all sub–Data Groups shall be filled in, allowing the optionality constraints defined in the declaration.	
	IF a Goods Item is missing OR the information related to a Data Group is missing THEN:	
	- 'Declaration goods item number'/'Sequence number' shall be unique AND	
	EQUAL to the 'Declaration goods item number'/'Sequence number' (as defined in	
	the declaration, but missing during control) and the rest of the Data Items	
	contained in the Data Group and all sub–Data Groups shall not be filled in.	
	Note: The 'Declaration goods item number'/'Sequence number' is unique if the	
	XPath (without the last DG's predicate, i.e. the last DG's occurrence number	
	included in "[]") and the value of the 'Declaration goods item number'/'Sequence	
	number' are unique in this message.	
R0675	IF /*/Authorisation/type is EQUAL to 'C513'	CUSTOMS OFFICE
V00/2	11 / Additions attority type is EQOAL to CO13	COSTOIVIS OFFICE



		1
	THEN /*/CustomsOfficeOfPresentation = "R"	OF
		PRESENTATION
		IS REQUIRED
R0676	IF /*/CustomsOfficeOfPresentation is PRESENT	AUTHORISATION
	THEN /*/Authorisation/type is EQUAL to 'C513'	TYPE
		MUST BE
		EQUAL TO 'C513'
R0677	IF /*/ExportOperation/additionalDeclarationType> is in SET {C, F}	AUTHORISATION
	THEN /*/Authorisation/type is EQUAL to 'C512'	TYPE
		MUST BE
		EQUAL TO 'C512'
R0678	IF /*/Authorisation/type is EQUAL to 'C512'	AUTHORISATION
1,0070	THEN /*/ExportOperation/additionalDeclarationType is in SET {C, F}	TYPE
		MUST BE
		EQUAL TO 'C512'
R0679	IF /*/Authorisation/type is EQUAL to 'C626'	REFERENCE
100/9	THEN /*/Authorisation/referenceNumber must be in eBTI	NUMBER
	ELSE IF /*/Authorisation/type is EQUAL to 'C627'	
	• • • • • • • • • • • • • • • • • • • •	MUST BE
	THEN /*/Authorisation/referenceNumber must be in National (BOI) system	LEGITIMATE
	ELSE /*/Authorisation/referenceNumber must be in CDMS or in the National	
	Decision Management System AND shall belong either to /*/Exporter OR to	
	/*/Declarant	
R0720	IF /CC015C/TransitOperation/declarationType is in SET {T1, TIR}	
	THEN /CC190C/TransitOperation/ExportOperation/ transitProcedureCategory is	
	EQUAL to '1'	
	ELSE IF /CC015C/TransitOperation/declarationType is in SET {T2, T2F, T2SM}	
	THEN /CC190C/TransitOperation/ExportOperation/ transitProcedureCategory is	
	EQUAL to '2'	
	ELSE IF at least one consignment item for the specific	
	/CC190C/TransitOperation/ExportOperation/MRN has	
	/CC015C/Consignment/HouseConsignment/ConsignmentItem/declarationType	
	EQUAL to 'T1'	
	THEN /CC190C/TransitOperation/ExportOperation/ transitProcedureCategory is	
	EQUAL to '1'	
	ELSE /CC190C/TransitOperation/ExportOperation/ transitProcedureCategor is	
	EQUAL to '2'	
R0721	IF /CC513C/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/netMass is	NET MASS MUST
	PRESENT	BE LESS
	THEN /CC507C/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/netMass	THAN THE VALUE
	must be LESS than the value declared	PREVIOUSLY
	in /CC513C/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/netMass	DECLARED
	ELSE the value of	
	/CC507C/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/netMass must	
	be LESS than the value declared	
	in /CC515C/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/netMass	
R0817	When /*/GoodsShipment/GoodsItem/PreviousDocument/type is in SET {C651,	UBR IS MISSING
	C658}, the Unique Body Reference (UBR) shall be recorded in this field.	
R0840	For this DI only a valid EORI or TCUIN shall be used.	EORI OR TCUIN
		VALIDATION
		· · · · · · · · · · · · · · · · · · ·



		ERROR
R0855	IF /*/GoodsShipment/Consignment/inlandModeOfTransport is EQUAL to '3'	DEPARTURE
	THEN the multiplicity of	TRANSPORT
	/*/GoodsShipment/Consignment/DepartureTransportMeans can be up to '3x'	MEANS
	ELSE IF /*/GoodsShipment/Consignment/inlandModeOfTransport is EQUAL to '2'	MULTIPLICITY
	THEN the multiplicity of	ERROR
	/*/GoodsShipment/Consignment/DepartureTransportMeans can be more than	
	'1x'	
	ELSE the multiplicity of	
	/*/GoodsShipment/Consignment/DepartureTransportMeans is '1x'	
R0861	Either /CC582C/Exporter OR /CC582C/Declarant must be used.	
R0864	If specified, this date must be less or equal to the date reported in	
	/*/Preparationdateandtime of this message and must NOT be less than the	
	/*/ExportOperation/releaseDate of the CD501C/CD503C for this movement. A	
	tolerance of one (1) day will be	
	applied to take into account that the NECAs' system times may diverge due to	
	different time zones, daylight savings time (DST) schemes, and non-synchronous	
	clocks.	
R0875	IF /CC191C/AESResults/globalValidationResponse is EQUAL to '1'	
	THEN all iterations of /CC191C/ExportOperation/resultIndicator is EQUAL to 'P1'	
	ELSE at least one iteration of /CC191C/ExportOperation/resultIndicator is in SET	
	{N1, N2, N3, N4}	
R0883	No amendment allowed for /*/Exporter	NO AMENDMENT
	No amendment allowed for /*/Representative	ALLOWED
	No amendment allowed for /*/Declarant	
	No amendment allowed for /*/CustomsOfficeOfLodgement	
	No amendment allowed for /*/CustomsOfficeOfExport	
	No amendment allowed for /*/CustomsOfficeOfExitDeclared	
	No amendment allowed for /*/CustomsOfficeOfPresentation	
	No amendment allowed for /*/ExportOperation/MRN	
	No amendment allowed for /*/ExportOperation/LRN	
	No amendment allowed for /*/ExportOperation/declarationType	
	No amendment allowed for /*/ExportOperation/additionalDeclarationType	
	No amendment allowed for /*/ExportOperation/security	
R0887	The /CC547C/ManifestItem/manifestItemNumber is the sequential number of the	
	listed items in this message.	
R0893	/*/Representative/identificationNumber is NOT EQUAL to	ID NUMBER
	/*/Declarant/identificationNumber.	CONFLICT
R0921	IF /*/ExportOperation/declarationType is EQUAL to 'CO'	INVALID
	THEN /*/GoodsShipment/countryOfDestination is in SET CL208	COUNTRY CODE
	ELSE /*/GoodsShipment/countryOfDestination is in SET CL207;	
	IF /*/ExportOperation/declarationType is EQUAL to 'CO'	
	THEN /*/GoodsShipment/GoodsItem/countryOfDestination is in SET CL208	
	ELSE /*/GoodsShipment/GoodsItem/countryOfDestination is in SET CL207	
R0940	For this D.I. only a valid EORI or ad hoc number shall be used.	EORI OR AD HOC
		VALIDATION
		ERROR
R0987	Each <sequence number=""> is unique for the Data Group it belongs to. The sequence</sequence>	SEQUENCING
,	numbers shall be sequential, starting from '1' for the first iteration of the Data	ERROR



	Group and increasing by '1' for each iteration.	
R0990	The /*/TransitOperation/TIRCarnetNumber must have the format an10 or an11	
	and must follow the algorithm defined by IRU, see DDNTA Main Document.	
R0994	The value of /*/GoodsShipment/Consignment/grossMass must be GREATER OR	GROSS MASS
	EQUAL to the sum of	INCORRECT
	/*/GoodsShipment/GoodsItem/Commodity/GoodsMeasure/grossMass for all	VALUE
	Goods Items.	
	The value of /*/Consignment/grossMass must be GREATER OR EQUAL to the sum	
	of /*/Consignment/ConsignmentItem/Commodity/GoodsMeasure/grossMass for	
	all Goods Items.	
R0995	For this data item only an EORI number is valid.	EORI VALIDATION
110333	To this data item only an Lord number is valid.	ERROR
D0006	IF /*/F and O and the Alambia Tana in FOLIAL to IFVI	ERROR
R0996	IF /*/ExportOperation/declarationType is EQUAL to 'EX'	
	THEN /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure must be in	
	SET {10, 11, 21, 22, 23, 31}	
	ELSE /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure must be in	
	SET {10, 76, 77}	
R0997	IF /CC515C/CustomsOfficeOfPresentation is PRESENT //Centralise Clearance	
	THEN /*/GoodsShipment/GoodsItem/requestedProcedure shall be the same for all	
	goods items	
	ELSE	
	IF /*/ExportOperation/declarationType is EQUAL to 'EX' AND at least one iteration	
	of /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in SET {10,	
	11, 23, 31}	
	THEN all iterations of	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure must be in SET	
	{10, 11, 23, 31}	
	ELSE IF /*/ExportOperation/declarationType is EQUAL to 'EX' AND at least one	
	iteration of /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in	
	SET {21, 22}	
	THEN all iterations of	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure must be in SET	
	{21, 22}	
	ELSE IF /*/ExportOperation/declarationType is EQUAL to 'CO' AND at least one	
	iteration of /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is in	
	SET {76, 77}	
	THEN all iterations of	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure must be in SET	
	{76, 77}	
	ELSE IF /*/ExportOperation/declarationType is EQUAL to 'CO' AND at least one	
	iteration of /*/GoodsShipment/GoodsItem/Procedure/requestedProcedure is	
	EQUAL to '10'	
	THEN all iterations of	
	/*/GoodsShipment/GoodsItem/Procedure/requestedProcedure must be EQUAL to	
	'10'	
S0002	The validation of particular Data Group/Item shall be performed in the following	
30002	sequence: C0375 > C0273	
50003		
S0003	The validation of particular Data Group/Item shall be performed in the following	
	sequence: C0375 > C0561	



S0008	'The validation of particular Data Group/Item shall be performed in the following	
	sequence: C0375 > C0471	
S0011	The validation of particular Data Group/Item shall be performed in the following	
	sequence: C0375 > C0259	
S0012	The validation of particular Data Group/Item shall be performed in the following	
	sequence: C0375 > C0335	
S0013	The validation of particular Data Group/Item shall be performed in the following	
	sequence: C0059 > C0335	
S0014	The validation of particular Data Group/Item shall be performed in the following	
	sequence: C0059 > C0471	
S0017	The validation of particular Data Group/Item shall be performed in the following	
	sequence: R0677 > R0676	
S0021	The validation of particular Data Group/Item shall be performed in the following	
	sequence: B1807 > B1882	
T0001	At least one of the optional data items must be filled in.	DATA MISSING
T1100	National restrictions of related guidelines and CCE authorization details need to be	
	respected.	



National	Business Rules	
BR0676	LRN for initial declaration must be unique per user	
BR0020	The value is not part of the respective code list	The entered value is not acceptable
BR1001	/CC515C/CustomsOfficeOfExport/referenceNumber must be "IE" /CC570C/CustomsOfficeOfExitDeclared/referenceNumber must be "IE" /CC507C/CustomsOfficeOfExitActual/referenceNumber must be "IE" IF /CC615C/CustomsOfficeOfLodgement is PRESENT THEN /CC615C/CustomsOfficeOfLodgement/referenceNumber must be "IE" IF /CC615C/CustomsOfficeOfLodgement is NOT PRESENT THEN /CC615C/CustomsOfficeOfExitDeclared/referenceNumber must be "IE"	Customs Office must be located in Ireland
BR2037	12 03 002 000 Documents type must contain at least one on the following codes: 'D005', 'D008', 'N325', 'N380', 'N864', 'N935', '1N09', '1N21', '1N22', '1N99', followed by the value of an invoice number in DE 12 03 001 000 Document Identifier, for each one of them used.	
BR2042	IF DE 12 12 002 000 'Authorisation Type' = {C019, C504, C512, C513, C514, C515, C516, C517, C518, C519, C526, C601, C990, N990, 1Q22}, THEN the Authorisation declared in DE 12 12 001 000 'Authorisation Reference Number' must be valid on the declaration date. The holder of the Authorisation must be the Declarant or the Exporter. For DE 12 12 002 000 'Authorisation Type' = 'C019', the rule applies only when the DE 12 12 001 000 'Authorisation Reference Number' is a national authorisation identifier.	
BR2045	IF DE 12 12 002 000 'Authorisation type' = {C019, C516, C601, C990, N990, 1D04}, THEN the commodity codes of the declaration items covered by the Authorisation must be in the list of the commodity codes which is included in the Authorisation OR the Authorisation must include no commodity codes. For DE 12 12 002 000 'Authorisation Type' = 'C019', the rule applies only when the DE 12 12 001 000 'Authorisation Reference Number' is a national authorisation identifier.	
BR2310	IF DE '11 02 001 000 Additional Declaration Type' IS NOT 'Y or Z' AND Office of Exit 17 01 001 000 is 'IE' 6th DIGIT = 1 AND DE '19 03 001 000 Mode of transport at the border' = 3 AND DE '19 05 017 000 is present THEN DE '12 04 002 000' must contain code 1D94 and 12 04 001 000 the IMO number.	Missing additional document information
BR2311	If Document types '1D94', '1D95' are declared, they must be UNIQUELY declared in DE '12 04 002 000 Additional Reference'' at 'Good Shipment' level.	Duplicate information relative to DE '19 03 001 000 - Mode of transport at the border'
BR2313	IF DE '11 02 001 000 Additional declaration type' is 'Y or Z' THEN DE '12 04 002 000' should not contain either 1D94 or 1D95.	Values '1D94' and '1D95' are not allowed at Goods Item Level
BR2314	IF DE '12 04 002 000' contains '1D94' THEN DE 'DE '12 04 001 000' should be completed with the Ship ID – IMO/ENI, with the following format rules: IMO/ENI Validation. International Maritime Organisation (IMO) ship identification number	Invalid Vessel Identification



	(format N7 – leading '0' allowed)	
	or	
	European Vessel Identification Number (ENI)	
	format N8 – must lead with the number '9')	
	- both will need to satisfy the Ships Identification Algorithm	
	, ,	
	Either of the International Maritime Organisation (IMO) ship identification	
	number (format N7) or of the European Vessel Identification Number (ENI) (format	
	N8 – must lead with the number '9') and the "Check digit" (last digit of the	
	identification number) is verified according to the algorithm below:	
	Take the first six digits (For IMO) or the six digits starting from second digit (For	
	ENI) of the reference number	
	Multiply the first digit by 7	
	Multiply the second digit by 6	
	Multiply the third digit by 5	
	Multiply the fourth digit by 4	
	Multiply the fifth digit by 3	
	Multiply the sixth digit by 2	
	Add the products	
	Divide by 10	
	The remainder should equal the seventh (check) digit	
	Example	
	IMO 7654329: 7×7 + 6×6 + 5×5 + 4×4 + 3×3 + 2×2 = 139.	
BR2315	IF DE '12 04 002 000 Document Type' is '1D95' THEN DE '12 04 001 000 Document	Invalid Document
	identifier' must contain vehicle Registration number according to the following	Identifier format
	format:	
	- The Registration Number must be Alphanumeric, with minimum 4 characters and	
	maximum 32 characters	
BR2318	If DE '12 04 002 000' is '1D95'	Consistency
	AND DE '11 02 001 000' IS NOT 'Y or Z'	Checks failed
	THEN DE '19 03 001 000 Mode of transport at the border' must be '1' and DE 19 05	
	017 000 'Departure Transport Means' must contain the IMO/ENI number ELSE the	
	declaration is Rejected	
BR2320	If DE '12 04 002 000'' is '1D94'	Consistency
	AND DE '11 02 001 000 Additional declaration type' IS NOT 'Y or Z'	Checks failed
	THEN DE '19 03 001 000 Mode of transport at the border' must be '3' and DE 19	S. redito ranica
	05 017 000 Departure transport means must contain the vehicle registration	
	number ELSE the declaration is Rejected	
	The format of the vehicle registration number is alphanumeric with minimum 4	
	characters and maximum 32 characters	
	Characters and maximum 52 characters	
BR2330	A unique Document Type Code '1D23' is mandatory in DE '12 04 002 000	Missing or
5112330	Additional Reference' at the 'Goods Shipment' level with 12 04 001 000 identifier	Duplicate
	format: 'YYYYMMDDhhmm' (Scheduled Time of Departure). This date cannot be in	Scheduled Time
	the past at time of registration. IF the lodged declaration type is 'Y or Z' - THEN the	of Departure
	Document Type Code '1D23' is NOT REQUIRED	or Departure
BR2340	Enter the statistical value expressed in (€)EURO. The statistical value must be	
DNZ34U	· · · · · · · · · · · · · · · · · · ·	
DD22F0	greater than zero, where applicable enter the FOB value of the goods.	
BR2350	Additional Declaration Type "E" is not supported	



BR3001	Invalidation Request Date must be equal to Preparation Date	
BR3002	Only one GoodsShipment/Previous document/type with the value 'NMRN' is	
	allowed Multiple Previous Document Types with the value "NMRN" are not	
	allowed	
BR3003	IF Export Operation Declaration type is EQUAL to 'EX'	
	AND requested procedure code is not 76 or 77	
	THEN EXPORT OPERATION SECURITY MUST be EQUAL to "2"	
	AND Carrier = R IF different to Declarant	
	AND Country of routing of consignment = R	
BR3014	DE 13 05 017 000 'Declarant' 13 05 017 000 must match the Owner of the ROS	
	Digital Certificate and messageSender must match the owner of the ROS	
	Certificate	
BR3182	EORI lookup value with the EORI system (check for existence and validity)	
BR3183	IF Exporter/identificationNumber is EQUAL to "NR1"	
	THEN Exporter/Name = R	
	AND Exporter/Address = R	
BR4000	IF <decisive date=""> is LESS than or EQUAL to <tpenddate></tpenddate></decisive>	Customs Office of
	THEN <customs lodgement="" of="" office=""> = "N"</customs>	Lodgement is not
		allowed
BR8082	IF DE 12 04 002 000 is 1D97 THEN DE 12 04 001 000 must contain the 'Vehicle	
	Identification Number' (VIN) that must comply with the following rules:	
	1. Must be Alphanumeric with Minimum 6 characters and maximum 22 characters	
	2. Valid characters for VIN are: (A to Z) (a to z) (0 to 9)	
	3. The VIN can be all numeric or a mixture of characters but cannot be all	
	alphabetic	
BR8083	The value '1D97' in DE 12 04 002 000 can only be declared when the dataset is B1	
BR8084	The VIN (Vehicle Identification Number) can only be declared in DE 12 04 002 000	
	at Goods Shipment Item level	
BR8085	A declaration item can only have one 'Vehicle Identification Number (VIN)'	
	declared	



Tariff Ru	los	
Tariii itu		
	The declared Country of Destination, TARIC code (DE Harmonized System Sub-	
N101	heading Code, DE Combined Nomenclature code,) and additional codes (DE Taric AdditionalCode and National Additional Commodity Code) is forbidden	
N101		
	For the declared Country of Destination, TARIC code (DE Harmonized System Sub-	
	heading Code, DE Combined Nomenclature code) and additional codes (DE Taric	
N400	AdditionalCode and DE National Additional Commodity Code) additional	
N102	certificates are required	
	The Ratio of DE Net Mass per DE Supplementary Unit for the declared Country of	
	Destination, TARIC code (DE Harmonized System Sub-heading Code, DE Combined	
N102	Nomenclature code) and additional codes (DE Taric AdditionalCode and DE	
N103	National Additional Commodity Code) is not acceptable	
	The DE Statistical value for the declared Country of Destination, TARIC code (DE	
	Harmonized System Sub-heading Code, DE Combined Nomenclature code) and	
N109	additional codes (DE Taric AdditionalCode and National Additional Commodity	
MIU9	Code) is not acceptable The DE Net mass for the declared Country of Destination, TARIC code (DE	
	Harmonized System Sub-heading Code, DE Combined Nomenclature code) and	
	additional codes (DE Taric AdditionalCode and National Additional Commodity	
N110	Code) is not acceptable	
14110	The DE Supplementary unit for the declared Country of Destination, TARIC code	
	(DE Harmonized System Sub-heading Code, DE Combined Nomenclature code) and	
	additional codes (DE Taric AdditionalCode and National Additional Commodity	
N111	Code) is not acceptable	
CD0102	IF a Tariff Measure requires Net Mass then it must be present in DE Net mass (kg)	
	IF the Declaration is CC515C, CC513C THEN Data Item Country of Destination' is	
CD0103	Required	
	IF data items values of Country of Destination, Harmonized System Sub-heading	
	Code, Combined Nomenclature code, Declaration Acceptance Date result in the	
	application of a Tariff Measure that requires "Additional Codes" THEN data	
	item TARIC Additional Codes and/or National additional codes must contain the	
CD0113	required TARIC and National additional codes respectively.	
	IF data items values of Country of Destination, Harmonized System Sub-heading	
	Code, Combined Nomenclature code, Declaration Acceptance Date result in the	
	application of a Tariff Measure that the measure type series equals "O" THEN DE	
CD0114	Supplementary Unit is required	
	IF data items values of Country of Destination, Harmonized System Sub-heading	
	Code, Combined Nomenclature code, Declaration Acceptance Date result in the	
	application of a Tariff Measure that requires a "Measurement Unit" >THEN the	
050::-	relevant measurement unit and its quantity must be present in DE Supporting	
CD0115	Documents City I and C	
CD0407	Values for DE Supporting Documents Type must be filled according to RC's	
CD0197	published list of mutually exclusive certificate types	
CD0204	If applicable data item Harmonized System Sub-heading Code, Combined	
CD0201	Nomenclature code must contain values that exist in Tariff	
CD0204	Gross mass cannot be less than Net mass	
CD0207	Internal Tariff Validation error (code CD0207). Please contact Revenue	
CD0207	Commissioners Help Desk	



CD0208	No exchange rate available for the declared currency and date	
	Values in DE Supporting Documents, Net mass (kg) and Supplementary units must	
CD0303	produce the same result when converted to the same measurement unit	
	Internal Tariff Validation error (code CD0399). Please contact Revenue	
CD0399	Commissioners Help Desk	